

MADE IN AMERICA *w/ MTRS!*

1/2" - 48"

800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
1/2	1/2 X .109 ERW A53 GR A, GALVANIZED, M&M DOM, BXB, MTRS	4,641
	1/2 X .109 ERW A53 GR F, FBE, DOM, TXT, MTRS	1,071
	1/2 X .147 ERW A53 GR B/F, GALVANIZED, DOM, BXB, MTRS	3,045
3/4	3/4 X .154 ERW A53 GR A/F, GALVANIZED, M&M DOM, BXB, MTRS	2,583
	3/4 X .113 ERW A53 GR F, GALVANIZED, M&M DOM, BXB, MTRS	1,260
1	1 X .133 SEAMLESS A106 GR B, FBE, M&M DOM, MTRS	8,470
	1 X .133 ERW A53 GR A/F, GALVANIZED, M&M DOM, T&C, MTRS	9,792
	1 1/4 X .140 ERW A53 GR A, GALVANIZED, M&M DOM, T&C, MTRS	2,808
	1 1/4 X .140 ERW A53 GR A/F, GALVANIZED, M&M DOM, BXB, MTRS	1,281
2	2 7/8 X .203 ERW A53 GR B/F, GALVANIZED, M&M DOM, T&C, MTRS	2,835
	2 3/8 X .218 ERW A53, GR B, BLK LAQ, DOM, BXB, MTRS	315
	2 3/8 X .154 ERW A53 GR B, GALVANIZED, M&M DOM, BXB, MTRS	378
3	3 1/2 X .600 SEAMLESS API 5L A53 GR B X42, SURPLUS, FBE, DOM, BXB, MTRS	907
	3 1/2 X .300 ERW A53 GR B, BLK LAQ, M&M DOM, MTRS	1,613
	3 1/2 X .300 ERW API 5L X52, BARE, DOM, MTRS	1,069
	3 1/2 X .300 SEAMLESS A106 GR B, BARE/BLK, M&M DOM, BXB, MTRS	12,208
4	4 1/2 X .237 ERW A53 GR A/F, GALVANIZED, M&M DOM, T&C, MTRS	357
10	10 3/4 X .500 ERW API 5L X65, ARO/FBE, DOM, MTRS	2,736
12	12 3/4 X .500 ERW A252 GR 3, BARE, M&M DOM, BXB, 0-1 MW, MTRS	540
	12 3/4 X .375 ERW A500 GR C, BARE, M&M DOM, SQXSQ, MTRS	331
	12 3/4 X .375 ERW API 5L X52, ARO, M&M DOM, BXB, MTRS	3,445
	12 3/4 X .375 ERW API 5L X52, CLEANED BARE, M&M DOM, BXB, MTRS	531
	12 3/4 X .375 ERW A53 GR B, GALVANIZED, DOM, BXB, MTRS	338
	12 3/4 X .344 ERW A252 GR 2/3, BARE, DOM, BXB, MTRS	316
	12 3/4 X .344 A252 GR 3, BARE, DOM, BXB, MTRS	170
	12 3/4 X .312 ERW A252 GR 2/3, BARE, DOM, BXB, MTRS	198
	12 3/4 X .281 ERW A252 GR 2/3, BARE, DOM, BXB/BXTC, MTRS	133

INTERNATIONAL PIPE

MADE IN AMERICA *w/ MTRS!*

800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
12	12 3/4 X .281 ERW API 5L X52, FBE, M&M DOM, BXB, MTRS	628
	12 3/4 X .250 ERW A252 GR 2/3, DOM, BXB, MTRS	103
	12 3/4 X .250 ERW API 5L X56, CLEANED BARE, M&M DOM, MIXED ENDS, MTRS	439
14	14 X .500 ERW API 5L X52, BARE, DOM, BXB, MTRS	2,360
	14 X .500 ERW API 5L X52, FBE, DOM, BXB, MTRS	1,274
	14 X .500 ERW API 5L X52, POWERCRETE, DOM, BXB, MTRS	780
	14 X .600 SEAMLESS API 5L X65, BARE, M&M DOM, MTRS	1,563
	14 X .600 SEAMLESS API 5L X65, FBE, M&M DOM, MTRS	1,575
16	16 X .625 ERW A500 GR C, BARE, M&M DOM, SQXSQ, MTRS	1,045
	16 X .625 A252 GR 3, BARE, M&M DOM, MTRS	179
	16 X .500 ERW A252 GR2/3, BARE, DOM, BXB, MTRS	2,264
	16 X .500 ERW A252 GR 3, BARE, DOM, BXB, MTRS	320
	16 X .500 ERW API 5L X60, ARO/FBE, DOM, BXB, MTRS	864
	16 X .375 ERW A252 GR 3, FBE, ID SEAM, DOM, BXB, MTRS	270
	16 X .375 A252 GR 2/3, BARE, DOM, BXB, MTRS	15,837
	16 X .281 ERW A252 GR 2/3, BARE, DOM, BXB, MTRS	115
	16 X .250 A252 GR 2/3, BARE, DOM, BXB, MTRS	9,000
18	18 X .625 ERW A252-19 GR 3, BARE, M&M DOM, SQXSQ/SQXCAP, MTRS	919
20	20 X .281 API 5L X65, FBE, M&M DOM, BXB, MTRS	481
	20 X .500 SEAMLESS API 5L X52, ARO/FBE, DOM, BXB, MTRS	205
	20 X .500 A252 GR 2/3, BARE, DOM, BXB, MTRS	7,014
	20 X .406 ERW A252 GR 2/3, BARE, DOM, BXB, MTRS	112
	20 X .375 A252 GR 2/3, BARE, DOM, BXB, MTRS	12,342
	20 X .312 ERW A252 GR 3, NEW, BARE, DOM. MFR ONLY, MTRS	118
	20 X .294 ERW API 5L X70, FBE, DOM, BXB, MTRS	249
24	24 X .375 API 5L X65 GR, FBE, M&M DOM, BXB, MTRS	2,236
26	26 X .375 ERW API 5L X65, FBE, M&M DOM, BXB, MTRS	100

*CONDENSED LIST.
CALL WITH OTHER
INQUIRIES*

INTERNATIONAL PIPE

MADE IN AMERICA *w/ MTRS!*

800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
30	30 X .656 SPIRALWELD API X70, FBE, DOM, BXTC, MTRS	212
	30 X .625 A252 GR 3, SPIRALWELD, BARE, DOM, SQXSQ, MTRS	138
	30 X .625 DSAW API 5L X70, ARO, M&M DOM, BXB, MTRS	145
	30 X .625 DSAW API 5L X65, BARE, DURABOND, BXB, M&M DOM, MTRS	143
	30 X .625 SPIRALWELD A252 GR 3, BARE, DOM, SQXSQ, MTRS	733
	30 X .618 DSAW API 5L X70, ARO, M&M DOM, MTRS	762
	30 X .562 DSAW API 5L X70, FBE, M&M DOM, BXB, MTRS	143
	30 X .441 SPIRALWELD API 5L X70, FBE, MTRS	211
	30 X .441 SPIRALWELD A252, BARE, DOM, BXSQ, MTRS	250
	30 X .441 SPIRALWELD A252, BARE, DOM MAN ONLY, MIXED ENDS, MTRS	220
	30 X .441 DSAW API 5L X70, FBE, MTRS	263
	30 X .441 DSAW API 5L X70, FBE, MTRS	377
30 X .429 SPIRALWELD API 5L X70, FBE, DOM MAN ONLY, BXB, MTRS	1,359	
34	34 X .505 ERW API 5L X60, FBE, BERG, DOM BXB, MTRS	312
36	36 X .688 DSAW API X65, ARO/FBE, BXB, DOM, MTRS	370
	36 X .625 SPIRALWELD A252 GR 3, USED, BARE, M&M DOM, BXB, MTRS	164
	36 X .625 SPIRALWELD A252 GR 3, BARE, DOM, MTRS	308
	36 X .625 SPIRALWELD A252 GR 3, BARE, DOM, MTRS	160
	36 X .618 SPIRALWELD API 5L X70, CLEANED BARE, DOM, BXSQ/BXTC, 0-1 MW, MTRS	113
	36 X .465 SPIRALWELD API 5L X70, FBE, DOM, MIXED ENDS, MTRS	57,070
36 X .429 SPIRALWELD A252 GR 3, BARE, DOM, SQXSQ, 0-1 MW, MTRS	306	
48	48 X .539 SPIRALWELD A252 GR 3, BARE, M&M DOM, MIXED ENDS, MTRS	152

Don't see what you're looking for? *Call Today!*
800-716-7473