

# INTERNATIONAL PIPE

DECEMBER 2024

# BIG LIST

405-478-4500 • [InternationalPipe.com](http://InternationalPipe.com)

.5" - 132"

OD	DESCRIPTION	FOOTAGE
132	132 X .750 SPIRALWELD, LIMITED SERVICE, DOM	153
109	109 1/4 X .625 STRAIGHT SEAM, SURPLUS, LIMITED SERVICE, BARE, DOM	75
101	101 X .500 STRAIGHT SEAM, SURPLUS, LIMITED SERVICE, BARE, DOM	8
98	98 X .375 STRAIGHT SEAM, SURPLUS, LIMITED SERVICE, BARE, DOM	5
79	79 X .500 SPIRALWELD, LIMITED SERVICE, BARE, DOM, SOME MTRS	624
62	62 1/5 X .625 SPIRALWELD A252, BARE, DOM	372
60	60 X 1.125 SURPLUS, WHITE PAINT, SQXSQ	16
	60 X 1.00 ROLLED & WELDED, BARE, SQXSQ, 1 MW, MTRS	16
	60 X .625 SPIRALWELD A252, BARE, M&M DOM, MTRS	70
	60 X .500 SPIRALWELD A252, BARE, M&M DOM, MTRS	40
56	56 1/2 X .679 SPIRALWELD, SURPLUS, LIMITED SERVICE, BARE, DOM	25
	56 1/2 X .679 ROLLED & WELDED, SURPLUS, LIMITED SERVICE, BARE, DOM	20
54	54 X .562 DSAW A672 GR C70 CLASS 22, BLK LAQ, IMP, MTRS	14
52	52 X .750 ROLLED & WELDED, BARE, SQXSQ, 4 MW	21
49	49 7/8 X .250 SPIRALWELD, LIMITED SERVICE, BARE, IMP	80
	49 1/4 X .375 SPIRALWELD, LIMITED SERVICE, BARE, IMP	16
48	48 X 1.188 EFW A671 GR C60 CLASS 32, BLK LAQ	24
	48 X 1.00 ROLLED AND WELDED, SURPLUS, BARE, SQXSQ	273
	48 X 1.00 SPIRALWELD A252, BARE, DOM	37
	48 X 1.00 SPIRALWELD A252, SURPLUS, BARE, BXSQ	100
	48 X 1.00 SURPLUS, BARE, PICKING EYES, SQXSQ	62
	48 X .841 SPIRALWELD, GALVANIZED, BXB, MTRS	120
	48 X .750 DSAW, SURPLUS, GALVANIZED, INXB	18
	48 X .750 SPIRALWELD, LIMITED SERVICE, BARE, DOM	19
	48 X .750 SPIRALWELD, SECONDARY, BARE, BXSQ /SQXSQ	299
	48 X .720 SPIRALWELD A252 GR 3, BARE, IMP, BXB/BXTC, MTRS	61
	48 X .539 SPIRALWELD A252 GR 3, BARE, M&M DOM, MIXED ENDS, MTRS	170
	48 X .375 STRAIGHT SEAM, LIMITED SERVICE, BARE, IMP	149
	48 X .375 ERW, SURPLUS, BARE, SQXSQ	110
44	44 1/2 X .750 SPIRALWELD, LIMITED SERVICE, BARE, DOM	302
	44 1/4 X .375 SPIRALWELD, LIMITED SERVICE, BARE, DOM	70
	44 1/4 X .250 SPIRALWELD A252, BARE, DOM	66
	44 X .312 SPIRALWELD, SURPLUS, LIMITED SERVICE, BARE, IMP	160
	44 X .188 SPIRALWELD, SURPLUS, LIMITED SERVICE, BARE, DOM	73
43	43 7/8 X .375 SPIRALWELD, SURPLUS, LIMITED SERVICE, BARE, DOM	80
	43 7/8 X .250 SPIRALWELD, SURPLUS, LIMITED SERVICE, BARE, DOM	114
	42 X .888 ERW API 5L X70, ARO/FBE, IMP, BXB	114
42	42 X .750 ERW A252, BARE, IMP	78
	42 X .750 ERW, SURPLUS, FBE, BXSQ/SQXSQ, 0-1 MW, MTRS	111
	42 X .750 SPIRALWELD A252, BARE, M&M DOM, MTRS	138
	42 X .750 SPIRALWELD A252/C200, BARE, DOM	311
	42 X .750 SPIRALWELD, SURPLUS, BARE, SQXSQ/BXB	122
	42 X .740 SPIRALWELD API 5L X70, ARO/FBE, IMP, BXB, MTRS	147

# INTERNATIONAL PIPE

DECEMBER 2024

# BIG LIST

405-478-4500 • [InternationalPipe.com](http://InternationalPipe.com)

.5" - 132"

OD	DESCRIPTION	FOOTAGE
<b>42</b>	42 X .625 SPIRALWELD A252, BARE, M&M DOM, MTRS	13
	42 X .625 SPIRALWELD, SECONDARY, BARE, MIXED ENDS, 0-3 MW	5,304
	42 X .625 SPIRALWELD X70, FBE, DOM	167
	42 X .617 SPIRALWELD A252, BARE, M&M DOM, MTRS	156
	42 X .617 SPIRALWELD API 5L X70, SURPLUS, ARO/FBE, DOM, MIXED ENDS, MW	608
	42 X .542 SPIRALWELD API 5L X70, SURPLUS, FBE	4,065
	42 X .375 DSAW API 5L X42, ARMA-LOCK, IMP, BXB, MTRS	70
	42 X .375 DSAW, SURPLUS, BARE, SQXSQ	189
	42 X .375 ERW A53 GR B, FBE, DOM	35
	42 X .250 SURPLUS, LIMITED SERVICE, ROLLED & WELDED, BARE, DOM	265
<b>37</b>	37 7/8 X .500 SPIRALWELD, LIMITED SERVICE, BARE, DOM	40
	37 7/8 X .288 SPIRALWELD A252, BARE, DOM	60
	37 7/8 X .260 SPIRALWELD A252, BARE, DOM	40
	37 7/8 X .250 SPIRALWELD, LIMITED SERVICE, BARE, DOM	108
	37 7/8 X .188 SPIRALWELD A252, BARE, DOM	40
<b>36</b>	37 1/4 X .250 SPIRALWELD, LIMITED SERVICE, BARE, DOM	40
	36 X 1.500 DSAW API 5L X56, BARE, IMP, BOX X PIN, MTRS	630
	36 X 1.00 STRAIGHT SEAM API 5L X70, ARO, BERG, MTRS	366
	36 X 1.00 STRAIGHT SEAM API 5L X70, CLEANED BARE, BERG, MTRS	99
	36 X .875 SPIRALWELD, USED, ARO, SQXTC/TCXTC, 0-1 MW	77
	36 X .750 SPIRALWELD A252 GR 3, USED, BARE/PAINT, MTRS	1,505
	36 X .750 DSAW API X70, SURPLUS, ARO/FBE, MIXED ENDS, 0-2 MW	386
	36 X .750 ERW A252, FBE, DOM	618
	36 X .750 DSAW API 5L X65, RED FBE, MTRS	178
	36 X .750 SPIRALWELD A252, BARE, DOM	163
	36 X .688 - .750 DSAW, SPIRALWELD, USED, ARO, MIXED ENDS, 0-1 MW	521
	36 X .748 SPIRALWELD API 5L X70, ARO/FBE, WELSPUN, MTRS	524
	36 X .748 SPIRALWELD API 5L X70, ARO/FBE, WELSPUN, MTRS	806
	36 X .748 SPIRALWELD API 5L X70, ARO, MTRS	357
	36 X .748 SPIRALWELD API 5L X70, BARE, 0-2 MW, MTRS	189
	36 X .688 DSAW API X65, ARO/FBE, BXB, DOM, MTRS	370
	36 X .688 SPIRALWELD A252, BARE, DOM	100
	36 X .688 SPIRALWELD, USED, FLOWLINER, PITTING, TXT, 0-2 MW	198
	36 X .634 ERW X70 CSA 483, ARO, SQXSQ, 1 MW	256
	36 X .625 ERW X65, SURPLUS, FBE, DOM	119
	36 X .625 SPIRALWELD A252 GR 3, BARE, DOM, MTRS	468
	36 X .625 SPIRALWELD A252 GR 3, USED, BARE, M&M DOM, BXB, MTRS	164
	36 X .618 SPIRALWELD A252 GR 3, SURPLUS, FBE, BXTC	360
	36 X .618 SPIRALWELD API 5L X70, CLEANED BARE, DOM, BXSQ/BXTC, 0-1 MW, MTRS	113
	36 X .594 DSAW API X65, ARO/FBE, DOM, MIXED ENDS, 0-1 MW	878
	36 X .579 STRAIGHT SEAM CSA Z245.1-8 483 CAT II, FBE, IMP, BXB, 0-1 MW, MTRS	21,636
	36 X .572 SPIRALWELD API 5L X70, FBE, IMP, BXSQ, 0-1 MW, MTRS	3,666
	36 X .572 SPIRALWELD 5L API X70, BARE, IMP, BXB, 0-1 MW, MTRS	352

# INTERNATIONAL PIPE

DECEMBER 2024

# BIG LIST

405-478-4500 • [InternationalPipe.com](http://InternationalPipe.com)

.5" - 132"

OD	DESCRIPTION	FOOTAGE
	36 X .562 SPIRALWELD A252 GR 3, SURPLUS, BARE, MIXED ENDS	235
	36 X .531 SPIRALWELD, SURPLUS, BARE, BXSQ, 0-1 MW	140
	36 X .531 ERW, USED, SURPLUS, BARE, DOM	360
	36 X .529 SPIRALWELD A252, BARE, DOM	746
	36 X .515 SPIRALWELD X70, FBE, DOM	359
	36 X .515 SPIRALWELD A252, BARE, M&M DOM, MTRS	423
	36 X .517 SPIRALWELD A252, BARE, M&M DOM, MTRS	773
	36 X .504 SPIRALWELD A252, BARE, IMP, MTRS	328
	36 X .500 DSAW API X70 X80, SURPLUS, BARE, BERG, BXB/BXSQ	103
	36 X .500 DSAW, SURPLUS, FBE, MIXED ENDS	320
	36 X .500 SPIRALWELD A252, BARE, MIXED ENDS, 0-3 MW	141
	36 X .500 SPIRALWELD, SURPLUS, FBE, MIXED ENDS, 0-3 MW	103
	36 X .500 SPIRALWELD, USED, BARE, TCXTC, FINS	282
	36 X .500 SPIRALWELD X70, SURPLUS, FBE, DOM	76
	36 X .469 DSAW API 5L X70, BARE, IMP, BXB/BXSQ	108
	36 X .469 DSAW, SURPLUS, FBE, BLACK ID LINER	161
	36 X .465 DSAW API 5L X70 483 CAT II, FBE, IMP, 0-1 MW, MTRS	471
	36 X .465 DSAW, SURPLUS, FBE, BXTC, 0-1 MW	1,085
	36 X .465 DSAW X70 483 CAT II, CLEANED BARE, IMP, MTRS	208
	36 X .465 DSAW X70 483 CAT II, FBE, IMP, MTRS	50,000
	36 X .465 ERW API 5L X70 483 CAT II, FBE, IMP, BXB, MTRS	1,812
	36 X .465 ERW API 5L X70 483 CAT II, FBE, IMP, BXB, MW, MTRS	181
	36 X .465 ERW CSA 483 CAT II, FBE, 0-1 MW	114
	36 X .465 ERW, SURPLUS, FBE, MIXED ENDS, 0-1 MW	121
	36 X .465 SPIRALWELD A252 GR 3, BARE, MIXED ENDS, MTRS	512
	36 X .465 SPIRALWELD API 5L X70, FBE, DOM, MIXED ENDS, MTRS	56,170
	36 X .465 SPIRALWELD API 5L X70, FBE, MIXED ENDS, MTRS	23,805
	36 X .465 SPIRALWELD, SURPLUS, FBE	154
	36 X .429 SPIRALWELD A252 GR 3, BARE, DOM, SQXSQ, 0-1 MW, MTRS	197
	36 X .412 STRAIGHT SEAM, SURPLUS, FBE, MIXED ENDS, 0-1 MW	232
	36 X .412 USED, FBE, PICKING EYES, MIXED ENDS, 0-1 MW	185
	36 X .375 USED, BARE, WATERLINE, CONCRETE LINED	1,284
<b>34</b>	34 X .680 SPIRALWELD API 5L X70, ARO, 0-1 MW, MTRS	1,461
	34 X .505 ERW API 5L X60, FBE, BERG, DOM BXB, MTRS	305
<b>32</b>	32 1/2 X .250 SPIRALWELD, LIMITED SERVICE, BARE, DOM	80
<b>31</b>	31 7/8 X .250 SPIRALWELD C200, SURPLUS, LIMITED SERVICE, BARE, DOM	638
	31 7/8 X .188 SPIRALWELD C200, SURPLUS, LIMITED SERVICE, BARE, DOM	1,897
	31 7/8 X .164 SPIRALWELD C200, SURPLUS, LIMITED SERVICE, BARE, DOM	320
<b>30</b>	30 X .656 SPIRALWELD API X70, FBE, DOM, BXTC, MTRS	212
	30 X .625 A252 GR 3, SPIRALWELD, BARE, DOM, MIXED ENDS, MTRS	149
	30 X .625 API 5L X70, ARO, DOM, MTRS	94
	30 X .625 API 5L X70, ARO/FBE, IMP, MTRS	230
	30 X .625 DSAW API 5L X70, ARO, M&M DOM, BXB, MTRS	145

# INTERNATIONAL PIPE

DECEMBER 2024

# BIG LIST

405-478-4500 • [InternationalPipe.com](http://InternationalPipe.com)

.5" - 132"

OD	DESCRIPTION	FOOTAGE
	30 X .625 DSAW API 5L X70, PIPECLAD, MTRS	415
	30 X .625 SPIRALWELD A252 GR 3, BARE, DOM, SQXSQ, MTRS	733
	30 X .625 SPIRALWELD API PSL2, BARE, IMP	138
	30 X .625 SPIRALWELD API 5L X60, SURPLUS, BARE	229
	30 X .625 SPIRALWELD, SURPLUS, BARE, BXB	215
	30 X .625 SPIRALWELD X60, BARE, DOM	242
	30 X .625 STRAIGHT SEAM, SURPLUS, BARE, ROUGH ENDS, 0-1 MW	137
	30 X .562 DSAW API 5L X70, FBE, M&M DOM, BXB, MTRS	143
	30 X .500 SPIRALWELD, SURPLUS, BARE, MIXED ENDS	133
	30 X .441 DSAW API 5L X70, FBE, MTRS	525
	30 X .441 SPIRALWELD A252, BARE, MIXED ENDS, DOM	970
	30 X .441 SPIRALWELD API 5L X70, FBE, MTRS	211
	30 X .429 SPIRALWELD API 5L X70, FBE, DOM MAN ONLY, BXB, MTRS	1,280
	30 X .429 SPIRALWELD, LIMITED SERVICE, BARE, DOM	104
	30 X .429 SPIRALWELD A252, BARE, M&M DOM, MTRS	201
	30 X .375 USED, BARE, 0-2 MW	421
<b>28</b>	28 X .752 DSAW API 5L X52 X56, BARE, IMP, BOXxPIN, MTRS	868
	28 X .750 DSAW API 5L X56, BARE, IMP, MTRS	1,885
	28 X .750 ERW X52, BARE, IMP	184
<b>26</b>	26 X .928 SPIRALWELD, LIMITED SERVICE, BARE, DOM	54
	26 X .375 ERW API 5L X65, FBE, M&M DOM, BXB, MTRS	100
	26 X .375 ERW X42, BARE, IMP	96
	26 X .188 SPIRALWELD, LIMITED SERVICE, BARE, DOM	20
<b>25</b>	25 3/4 X .375 SPIRALWELD, LIMITED SERVICE, BARE, IMP	20
	25 3/4 X .250 SPIRALWELD, LIMITED SERVICE, BARE, IMP	38
	25 3/4 X .188 SPIRALWELD, LIMITED SERVICE, BARE, IMP	120
<b>24</b>	24 X 1.125 ERW, LIMITED SERVICE, FBE, IMP	22
	24 X .750 SPIRALWELD, USED, BARE, DOM MAN ONLY, TCXTC	50
	24 X .750 ERW, USED, LIMITED SERVICE, ARO, IMP	89
	24 X .688 ERW API 5L X52, BARE, IMP, BXB, MTRS	321
	24 X .625 ERW API 5L X65, FBE, BXB	402
	24 X .500 SPIRALWELD, USED, GALVANIZED, MIXED ENDS, 0-3 MW	132
	24 X .562 ERW A252 GR 3, BARE, IMP, BXSQ, MTRS	169
	24 X .562 ERW, SURPLUS, CLEANED BARE	118
	24 X .500 DSAW API 5L X52, BARE, IMP, BXB, MTRS	4,542
	24 X .500 ERW API 5L X60 X70, SURPLUS, ARO/FBE, DOM, BXB	348
	24 X .500 ERW API 5L X70, ARO, IMP, BXB, MTRS	880
	24 X .500 ERW, SURPLUS, BARE, SQXSQ/SQXTC	228
	24 X .500 ERW X60, ARO/FBE, DOM	397
	24 X .500 SPIRALWELD, SURPLUS, BARE, DOM, BXB/BXSQ	134
	24 X .438 SURPLUS, BARE, MIXED ENDS, 0-1 MW	136
	24 X .375 API 5L X42, USED, BARE, MIXED ENDS, 0-3 MW	284
	24 X .375 API 5L X65 GR, BARE/FBE, M&M DOM, BXB, MTRS	1,011



# INTERNATIONAL PIPE

DECEMBER 2024

# BIG LIST

405-478-4500 • [InternationalPipe.com](http://InternationalPipe.com)

.5" - 132"

OD	DESCRIPTION	FOOTAGE
	24 X .375 ERW A252, BARE, DOM MAN ONLY	500
	24 X .375 ERW A252 GR 3 A36, USED, BARE, PICKING EYES, TXT, 0-1 MW	562
	24 X .375 ERW, SPIRALWELD, SURPLUS, BARE, MIXED ENDS, 0-1 MW	587
	24 X .350 USED, FBE, WELDMENTS, MIXED ENDS, MW	828
	24 X .344 ERW, USED, LIMITED SERVICE, BARE, IMP	160
	24 X .330 ERW, USED, LIMITED SERVICE, BARE, IMP	109
	24 X .250 SPIRALWELD C200, BARE, M&M DOM, MTRS	192
<b>22</b>	22 X .669 API 5L X52, SURPLUS, BARE/BLK LAQ, IMP	79
	22 X .625 API X52, SURPLUS, BARE/BLK LAQ, SQXSQ	411
	22 X .375 SPIRALWELD X46, BARE, IMP	24
	22 X .375 ERW API X60, SURPLUS, ARO/FBE	101
	22 X .375 DSAW API 5L X46, SPIRALWELD, BARE, IMP, MTRS	4,308
	22 X .375 SPIRALWELD DSAW API 5L X46, BARE, IMP, MTRS	160
	22 X .281 ERW API X70, SURPLUS, ARO/FBE, BXB	5,877
	22 X .250 ERW, LIMITED SERVICE, BARE, IMP	27
<b>21</b>	21.781 X .188 SPIRALWELD, LIMITED SERVICE, BARE, IMP	120
<b>20</b>	20 X .500 USED, SURPLUS, ARO, BXB	811
	20 X .812 API X56, NEW, MIXED ENDS, IMP	131
	20 X .812 ERW/SEAMLESS J55, SURPLUS, BARE, DOM	1,597
	20 X .688 SEAMLESS A106 GR B, BARE/BLK LAQ, MTRS	142
	20 X .625 ERW, SURPLUS, BARE, ID SEAM, BXB/BXSQ, 0-2 MW	171
	20 X .625 ERW API 5L X65, ARO, IMP, MTRS	246
	20 X .594 ERW API 5L X65, BARE/FBE, SOME MTRS	655
	20 X .594 SEAMLESS A106 GR B, BARE/BLK LAQ	153
	20 X .562 ERW X70, SURPLUS, FBE, BXB	363
	20 X .500 A252 GR 2/3, BARE, DOM, BXB, MTRS	6,425
	20 X .500 ERW A252, BARE, M&M DOM, MTRS	1,169
	20 X .500 ERW A252 GR 2/3, BARE, DOM, BXB, MTRS	589
	20 X .500 ERW API 5L X52, ARO/FBE, BXB, IMP, MTRS	161
	20 X .500 ERW API 5L X70, SURPLUS, FBE, BXB	399
	20 X .500 ERW, SURPLUS, BARE, BXB, 1-2 MW	5,290
	20 X .500 ERW, SURPLUS, FBE, BXB	417
	20 X .500 ERW X65, SURPLUS, ARO, BXB	312
	20 X .500 SEAMLESS A333 API5L X52, ARO, BXB	403
	20 X .500 SEAMLESS API 5L X52, ARO/FBE, DOM, BXB, MTRS	205
	20 X .500 SEAMLESS, SURPLUS, BARE/BLK LAQ, MIXED ENDS, 0-3 MW	194
	20 X .500 SPIRALWELD, SURPLUS, BARE, SQXSQ	1,613
	20 X .500 X60 X65, SURPLUS, BARE/BLK LAQ, IMP, BXB	231
	20 X .469 ERW A252, BARE, DOM	3,065
	20 X .438 ERW API 5L X70, SURPLUS, FBE	148
	20 X .438 ERW A252, BARE, M&M DOM, MTRS	1,125
	20 X .413 ERW A252, BARE, DOM	393
	20 X .375 #2 USED, FBE/TAR, TCXTC, 0-3 MW	285

# INTERNATIONAL PIPE

DECEMBER 2024

# BIG LIST

405-478-4500 • [InternationalPipe.com](http://InternationalPipe.com)

.5" - 132"

OD	DESCRIPTION	FOOTAGE
	20 X .300 - .375 #2 USED, CLEANED BARE, PITTING, TCXTC, 0-1 MW	1,375
	20 X .375 A252 GR 2/3, BARE, BXB, MTRS	840
	20 X .375 A252 GR 2/3, BARE, DOM, BXB, MTRS	10,794
	20 X .375 ERW A252, BARE, DOM MAN ONLY	2,458
	20 X .375 ERW A53B, SURPLUS, BARE, IMP	678
	20 X .375 ERW API 5L X60, SURPLUS, 3LPP, BXB	353
	20 X .375 ERW API X65, SURPLUS, FBE, BXB	323
	20 X .375 ERW, LIMITED SERVICE, BARE, DOM	273
	20 X .344 ERW A252, BARE, DOM	483
	20 X .317 ERW, LIMITED SERVICE, BARE, DOM	202
	20 X .312 ERW, SURPLUS, BARE, DOM, BXB	387
	20 X .312 ERW A252, BARE, DOM	1,390
	20 X .300 ERW, LIMITED SERVICE, BARE, DOM	221
	20 X .294 ERW API 5L X70, FBE, DOM, BXB, MTRS	249
	20 X .281 API 5L X65, FBE, M&M DOM, BXB, MTRS	401
<b>18</b>	18 X .750 ERW A252 GR 3, SURPLUS, BARE, BXB/SQXSQ	267
	18 X .750 ERW X52, BARE, IMP	80
	18 X .625 ERW A252-19 GR 3, BARE, M&M DOM, SQXSQ/SQXCAP, MTRS	919
	18 X .625 ERW, STRUCTURAL, SURPLUS, BARE	199
	18 X .605 - .625 ERW, SURPLUS, BARE, ID SEAM, 2-5 MW	2,545
	18 X .605 ERW A252, BARE, M&M DOM, MTRS	352
	18 X .562 ERW, SURPLUS, BARE, BXB	230
	18 X .500 ERW A52 A53B, USED, BARE, DOM	1,851
	18 X .375 #2 SEAMLESS, USED, BARE/BLK LAQ, BXB	111
	18 X .375 ERW A53 GR B X42, GALVANIZED, IMP, BXB	42
	18 X .375 ERW API 5L X42 A53 B, BARE/BLK LAQ, IMP, BXB, MTRS	7,042
	18 X .375 SEAMLESS API 5L X42, FBE, IMP, BXB, MTRS	392
	18 X .188 - .250 SPIRALWELD, USED, BARE, TCXTC, 0-1 MW	342
	18 X .250 ERW A53 GR B, YGIII, IMP	240
<b>17</b>	17 3/8 X .250 SPIRALWELD, LIMITED SERVICE, BARE, IMP	64
<b>16</b>	16 X .844 SEAMLESS, SURPLUS, FBE, SQXSQ	122
	16 X .656 SEAMLESS, FBE, DOM	151
	16 X .625 A252 GR 3, BARE, M&M DOM, MTRS	179
	16 X .625 ERW A252 GR 3, SURPLUS, BARE, SQXSQ/SQXTC	300
	16 X .625 ERW A500 GR C, BARE, M&M DOM, SQXSQ, MTRS	985
	16 X .580 USED, BARE, PITTED, T&C	3,692
	16 X .500 ERW A252, BARE, DOM	447
	16 X .500 ERW A252 GR 2/3, BARE, DOM, BXB, MTRS	1,354
	16 X .500 ERW A252 GR 3, BARE, DOM, BXB, MTRS	320
	16 X .500 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	551
	16 X .500 ERW API 5L X52 A53 GR B, ARO/FBE, IMP, BXB/BXTC, MTRS	506
	16 X .500 ERW API 5L X60, ARO/FBE, DOM, BXB, MTRS	864
	16 X .500 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	670

# INTERNATIONAL PIPE

DECEMBER 2024

# BIG LIST

405-478-4500 • [InternationalPipe.com](http://InternationalPipe.com)

.5" - 132"

OD	DESCRIPTION	FOOTAGE
	16 X .500 ERW X52, ARO, IMP	238
	16 X .500 LIMITED SERVICE, BARE, M&M DOM, MIXED ENDS, MTRS	214
	16 X .375 A252 GR 2/3, BARE, DOM, BXB, MTRS	8,408
	16 X .375 ERW A252, BARE, DOM	2,770
	16 X .375 ERW A252 GR 2/3, BARE, DOM, BXB, MTRS	6,420
	16 X .375 ERW A252 GR 3, FBE, ID SEAM, DOM, BXB, MTRS	270
	16 X .375 ERW API 5L X52, CTD, IMP, BXB, MTRS	534
	16 X .375 ERW, SURPLUS, BARE, MIXED ENDS	290
	16 X .312 ERW A252, BARE, DOM	218
	16 X .312 ERW A53 GR B API 5L X42, BARE, IMP, BXB, MTRS	1,092
	16 X .312 ERW, LIMITED SERVICE, BARE, BXB/BXSQ	932
	16 X .312 ERW, SURPLUS, BARE, MIXED ENDS, 0-1 MW	204
	16 X .312 ERW, SURPLUS, FBE, BXB	590
	16 X .312 ERW X42 A53 GR, SURPLUS, ARO, BXB	1,343
	16 X .250 A252 GR 2/3, BARE, DOM, BXB, MTRS	7,519
	16 X .250 ERW A53, SURPLUS, BARE, MIXED ENDS	105
	16 X .250 ERW, SURPLUS, FBE, MIXED ENDS	1,077
	16 X .250 SPIRALWELD C200, BARE, M&M DOM, MTRS	480
	16 X .188 DSAW, USED, BLK LAQ, TCXTC, 2-5 MW	1,566
	16 X .188 SPIRALWELD, USED, BLK LAQ, TCXTC, 0-2 MW	3,182
<b>14</b>	14 X .750 SEAMLESS, SURPLUS, GREY PAINT, BXINV, 0-1 MW	16
	14 X .720 SEAMLESS, SURPLUS, FBE, BXTC, 0-1 MW	20
	14 X .625 DSAW, STRUCTURAL, SURPLUS, BARE	113
	14 X .600 SEAMLESS API 5L X65, FBE, M&M DOM, MIXED ENDS, MTRS	1,535
	14 X .600 SEAMLESS API 5L X65, CLEANED BARE, M&M DOM, MIXED ENDS, MTRS	1,543
	14 X .500 A252 GR 2, BLK LAQ, IMP, SQXSQ, MTRS	118
	14 X .500 ERW API 5L X52, BARE, DOM, MIXED ENDS, MTRS	3,634
	14 X .500 ERW API 5L X52, POWERCRETE, DOM, BXB, MTRS	780
	14 X .500 ERW, SURPLUS, ARO/TAR, MIXED ENDS	689
	14 X .500 ERW, SURPLUS, BARE/BLK LAQ, ID SEAM, SQXSQ	298
	14 X .500 ERW, SURPLUS, BARE, BXB	324
	14 X .500 ERW, USED, BARE, TCXTC	277
	14 X .438 ERW, SURPLUS, BARE, DOM, SQXSQ	495
	14 X .375 ERW A53 GR B, BARE, IMP	930
	14 X .375 ERW, LIMITED SERVICE, BARE, DOM, BXB	1,013
	14 X .375 ERW, SURPLUS, YELLOW JACKET, BXB	169
	14 X .375 ERW X52, FBE, DOM	963
	14 X .375 GALVANIZED, MIXED ENDS, MTRS	490
	14 X .250 ERW, SURPLUS, BARE, SHORTS, SQXSQ	667
<b>12</b>	12 3/4 X 1.312 ERW, SURPLUS, FBE, DOM	224
	12 3/4 X 1.312 ERW, SURPLUS, BARE, IMP	487
	12 3/4 X .750 ERW, SURPLUS, BARE, WHITE FBE, ID LINER, SQXSQ	168
	12 3/4 X .650 SEAMLESS API X65, BARE, PITTING	525

# INTERNATIONAL PIPE

DECEMBER 2024

# BIG LIST

405-478-4500 • [InternationalPipe.com](http://InternationalPipe.com)

.5" - 132"

OD	DESCRIPTION	FOOTAGE
	12 3/4 X .625 A500, SURPLUS, BARE, BXB	420
	12 3/4 X .625 ERW, STRUCTURAL, SURPLUS, BARE, SQXSQ	733
	12 3/4 X .562 ERW, SURPLUS, BARE, BXB	599
	12 3/4 X .500 ERW A252 GR 3, BARE, M&M DOM, BXB, 0-1 MW, MTRS	540
	12 3/4 X .500 ERW A53 GR B A252 GR 3, BARE, IMP, BXB, MTRS	1,875
	12 3/4 X .500 ERW, LIMITED SERVICE, BARE, DOM	398
	12 3/4 X .500 ERW, SURPLUS, FBE, TCXTC	372
	12 3/4 X .500 GALVANIZED, BXB	668
	12 3/4 X .469 SEAMLESS API 5L GR B X65, ARO/FBE, IMP, BXB, MTRS	11,702
	12 3/4 X .469 SEAMLESS API 5L GR B X65, BARE, IMP, BXB, MTRS	2,998
	12 3/4 X .469 SEAMLESS API 5L GR B X65, GALVANIZED, IMP, BXB/BXS	596
	12 3/4 X .375 ERW API 5L X52, ARO, M&M DOM, BXB, MTRS	3,405
	12 3/4 X .375 ERW, LIMITED SERVICE, BARE, MIXED ENDS, 0-1 MW	399
	12 3/4 X .375 ERW, SURPLUS, ARO/FBE, ID FLOWLINER, ZAP LOCK ENDS	962
	12 3/4 X .375 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	1,330
	12 3/4 X .375 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	987
	12 3/4 X .375 ERW, SURPLUS, FBE, BXB/BXTC	423
	12 3/4 X .330 ERW, SURPLUS, BARE, BXB	402
	12 3/4 X .330 ERW, LIMITED SERVICE, BARE, DOM	590
	12 3/4 X .312 ERW A252, BARE, DOM	912
	12 3/4 X .312 ERW, LIMITED SERVICE, BARE, DOM	7,110
	12 3/4 X .312 ERW, SURPLUS, LIMITED SERVICE, BARE/FBE, BXB	475
	12 3/4 X .281 ERW, LIMITED SERVICE, BARE, DOM	601
	12 3/4 X .281 ERW, SURPLUS, YELLOW JACKET, BXB	503
	12 3/4 X .281 ERW API 5L X52, FBE, M&M DOM, BXB, MTRS	628
	12 3/4 X .281 ERW, SURPLUS, BARE, BXB, 1-2 MW	763
	12 3/4 X .281 ERW, STRUCTURAL, BARE, MIXED ENDS, 0-1 MW	941
	12 3/4 X .250 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	5,922
	12 3/4 X .250 ERW A252 GR 2/3, DOM, BXB, MTRS	1,506
	12 3/4 X .250 ERW, LIMITED SERVICE, BARE, DOM	812
	12 3/4 X .250 ERW, SURPLUS, BARE, BXB	698
	12 3/4 X .250 ERW X52 A53 GR B, SURPLUS, FBE, BXB	2,811
	12 3/4 X .250 ERW A252, BARE, DOM	659
	12 3/4 X .250 USED, SLURRY LINED, BARE, BXB	386
	12 3/4 X .219 ERW, USED, LIMITED SERVICE, BARE, DOM	5,262
	12 3/4 X .156 ERW, USED, BARE, SQXSQ, 1-2 MW	2,265
<b>11</b>	11 3/4 X .500 ERW, SURPLUS, BARE, CASING, TCXTC	159
<b>10</b>	10 3/4 X 1.125 SEAMLESS A106, BLK LAQ, IMP, MTRS	42
	10 3/4 X .719 SEAMLESS API 5L, SURPLUS, BARE, BXB/BXTC	85
	10 3/4 X .500 ERW A53 GR B X46 X52, IMP, MTRS	378
	10 3/4 X .500 ERW API 5L X52, FBE, IMP, BXB, MTRS	347
	10 3/4 X .500 ERW API 5L X52, SURPLUS, FBE, IMP	167
	10 3/4 X .500 ERW API 5L X65, ARO/FBE, DOM, MTRS	2,798



# INTERNATIONAL PIPE

DECEMBER 2024

# BIG LIST

405-478-4500 • [InternationalPipe.com](http://InternationalPipe.com)

.5" - 132"

OD	DESCRIPTION	FOOTAGE
	10 3/4 X .500 GALVANIZED, MIXED ENDS	1,440
	10 3/4 X .500 ERW, STRUCTURAL, BARE, 2 MW	1,522
	10 3/4 X .500 ERW, STRUCTURAL, SURPLUS, BARE, MIXED ENDS	1,417
	10 3/4 X .500 ERW, SURPLUS, BARE, BXB	795
	10 3/4 X .500 SEAMLESS API X42, ARO/FBE, IMP, MTRS	732
	10 3/4 X .365 ERW API 5L X52, USED, ARO/FBE, IMP, TCXTC	1,400
	10 3/4 X .365 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	3,865
	10 3/4 X .365 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	827
	10 3/4 X .365 ERW, SURPLUS, BARE, ID LINER, BXB	504
	10 3/4 X .365 GALVANIZED, MIXED ENDS, 0-1 MW	754
	10 3/4 X .279 ERW, SURPLUS, BARE, BXB	465
	10 3/4 X .250 ERW API X52, SURPLUS, FBE, MIXED ENDS	1,808
	10 3/4 X .219 ERW, SURPLUS, FBE, MIXED ENDS, 0-2 MW	638
	10 3/4 X .188 ERW, SURPLUS, FBE, MIXED ENDS, 0-1 MW	1,616
	10 3/4 X .165 #1 ERW A53 GR B, USED, BARE/BLK LAQ, ROLL GROOVE ENDS, MTRS	32,131
<b>9</b>	9 5/8 36# USED CASING, BARE/BLK LAQ	1,334
	9 5/8 40# NEW CASING, BLK LAQ	742
<b>8</b>	8 5/8 X .500 SEAMLESS, SURPLUS, FBE, BXB	873
	8 5/8 X .438 SEAMLESS X60, SURPLUS, BARE, BXB	2,281
	8 5/8 X .438 SEAMLESS API 5L X60, BARE, IMP, BXB, MTRS	859
	8 5/8 X .322 ERW A252 GR 3, BARE, BXB/BXS	462
	8 5/8 X .322 ERW A53 GR A, BARE, DOM	537
	8 5/8 X .322 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	1,630
	8 5/8 X .322 ERW A53 GR B, SURPLUS, BARE/BLK LAQ, BXB	693
	8 5/8 X .322 ERW A53 GR B, SURPLUS, BLK LAQ, IMP, BXB	1,215
	8 5/8 X .322 ERW A53 GR B X42, GALVANIZED, BXB	1,071
	8 5/8 X .322 ERW A53 GR B X52, SURPLUS, FBE, IMP, ZAP LOCK ENDS, 0-1 MW	2,557
	8 5/8 X .322 ERW, STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-1 RW/MW	13,747
	8 5/8 X .322 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-2 MW	5,124
	8 5/8 X .322 ERW, SURPLUS, ARO/FBE, ID LINER, ZAP LOCK ENDS	2,185
	8 5/8 X .322 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	1,163
	8 5/8 X .322 GALVANIZED, MIXED ENDS, MTRS	741
	8 5/8 X .322 SEAMLESS, SURPLUS, BARE/BLK LAQ, MIXED ENDS	1,845
	8 5/8 X .277 ERW, SURPLUS, BARE, SQXSQ	726
	8 5/8 X .250 ERW A53 GR B X65, SURPLUS, FBE, BXB	1,502
	8 5/8 X .250 ERW, STRUCTURAL, SURPLUS, BARE, ID SEAM, BXB, 2-5 MW	4,093
	8 5/8 X .250 STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-3 MW	8,322
	8 5/8 X .219 ERW, SURPLUS, BARE, MIXED ENDS, 0-3 MW	4,050
	8 5/8 X .219 ERW, SURPLUS, FBE, MIXED ENDS, 0-1 MW	609
	8 5/8 X .188 ERW API X42 X52, SURPLUS, FBE	596
	8 5/8 X .188 ERW, SURPLUS, BARE, MIXED ENDS, 0-3 RW	1,768
	8 5/8 X .188 ERW, STRUCTURAL, SURPLUS, BARE, BXB, 1-4 MW	3,794
	8 5/8 X .188 ERW, SURPLUS, FBE, MIXED ENDS	2,834

# INTERNATIONAL PIPE

DECEMBER 2024

# BIG LIST

405-478-4500 • [InternationalPipe.com](http://InternationalPipe.com)

.5" - 132"

OD	DESCRIPTION	FOOTAGE
7	7 5/8 X .385 SEAMLESS, SURPLUS, BARE, SQXSQ/T&C	6,517
	7 5/8 X .375 ERW, LIMITED SERVICE, CASING, BARE/BLK LAQ, BXB/SQXSQ	12,401
	7 5/8 X .330 SEAMLESS, SURPLUS, BARE, SQXSQ	580
6	7 X .250 ERW, SURPLUS, BARE, SQXSQ	5,061
	6 5/8 X .280 ERW, USED, CLEANED BARE, 0-2 MW	1,631
	6 5/8 X .280 ERW API X52 A53 GR B, USED, ARO/FBE, TCXTC	1,499
	6 5/8 X .156 - .219 USED, CLEANED BARE, TCXTC, 1-2 MW	2,859
	6 5/8 X .156 - .219 USED, FBE, TXCTC, 1-2 MW	6,178
	6 5/8 X .432 SEAMLESS A53 GR A, SURPLUS, ARO/FBE	1,374
	6 5/8 X .375 ERW X42, BARE, IMP	1,495
	6 5/8 X .280 ERW A53 GR A, BARE, IMP	1,533
	6 5/8 X .280 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	1,511
	6 5/8 X .280 ERW, SURPLUS, BLK LAQ, BXB	6,265
	6 5/8 X .280 ERW, SURPLUS, GALVANIZED, BXB	10,577
	6 5/8 X .188 ERW, SURPLUS, FBE, BXB/BXINV	2,696
	6 5/8 X .134 ERW A53, BLK LAQ, IMP	3,990
	5	5 1/2 X .361 ERW, CASING, BARE, MIXED ENDS
5 9/16 X .258 ERW A53 GR B X42, GALVANIZED, IMP, BXB/VGXVG, MTRS		1,827
5 9/16 X .134 A53 GR A, GALVANIZED, MTRS		5,355
4	4 1/2 X .337 SEAMLESS A53 GR A/B, SURPLUS, ARO/FBE, BXB	4,697
	4 1/2 X .337 - .406 SEAMLESS, SURPLUS, BARE/BLK LAQ, MIXED ENDS	1,619
	4 1/2 10.5# -11.6# STRUCTURAL, USED, BARE, TUBING, T&C	1,052
	4 1/2 X .237 ERW A53 GR A, SURPLUS, GALVANIZED, IMP, T&C	1,890
	4 1/2 X .237 X 21' A53 GR A, GALVANIZED, T&C, IMP, MTRS	2,331
	4 1/2 X .237 ERW A53 GR A, GALVANIZED, IMP, BXB, MTRS	7,101
	4 1/2 X .237 X 21' A53 GR A, BLK LAQ, IMP, MIXED ENDS, MTRS	2,562
	4 1/2 X .237 ERW, SURPLUS, LIMITED SERVICE, BARE, DOM	2,309
	4 1/2 X .188 - .237 STRUCTURAL, SURPLUS, SHORTS, BARE, MIXED ENDS, RW, OPEN/SPLIT, SMS	3,640
	3	3 1/2 X .600 SEAMLESS, SURPLUS, FBE, IMP, BXB
3 1/2 X .300 ERW A53 GR B, BLK LAQ, M&M DOM, MTRS		1,613
3 1/2 X .300 ERW API X52, SURPLUS, ARO/FBE, IMP, BXB		3,230
3 1/2 X .300 ERW API X52, SURPLUS, BARE, IMP, BXB		4,182
3 1/2 X .300 ERW API 5L X52, BARE, DOM, MTRS		1,069
3 1/2 X .300 SEAMLESS A106 GR B, BARE/BLK, M&M DOM, BXB, MTRS		12,208
3 1/2 X .254 9.2# STRUCTURAL, USED, TUBING, BARE, T&C, 0-1 MW		3,589
3 1/2 X .254 ERW, USED, BARE		2,120
3 1/2 X .254 X 31.5' AVG, ERW, USED, BARE		50,933
3 1/2 X .216 ERW A53 GR A, GALVANIZED, IMP, T&C (14 PCS PER BUNDLE)		40,362
3 1/2 X .216 ERW A53 GR B, SURPLUS, GALVANIZED, IMP, BXB		8,190
3 1/2 X .216 ERW API 5L X52, SURPLUS, BLK LAQ, IMP, BXB		1,331
3 1/2 X .216 ERW API 5L X52, SURPLUS, FBE, IMP, BXB		4,898
3 1/2 X .216 ERW, SURPLUS, BLK LAQ, BXB		5,922
3 1/2 X .216 ERW, SURPLUS, FBE, BXB		1,042

# INTERNATIONAL PIPE

DECEMBER 2024

# BIG LIST

405-478-4500 • [InternationalPipe.com](http://InternationalPipe.com)

.5" - 132"

OD	DESCRIPTION	FOOTAGE
	3 1/2 X .216 SCH 40 ERW, SECONDARY, BARE, SQXSQ	1,111
	3 1/2 X .216 SEAMLESS, SURPLUS, FBE, BXB, MTRS	2,137
	3 1/2 X .216 SEAMLESS X52, BARE, IMP	1,208
	3 1/2 X .188 ERW X42 A53 GR B, BARE/BLK LAQ, IMP, BXB, MTRS	3,974
	3 1/2 X .156 SEAMLESS A106 GR B, FBE, BXB	1,804
	3 1/2 X .120 ERW A53, BLK LAQ, IMP	1,700
	3 1/2 X .120 ERW, SECONDARY, BARE, SQXSQ	3,394
	3 X .250 ERW, SECONDARY, BARE, TUBING, SQXSQ/TCXTC	2,430
<b>2</b>	2 7/8 X .375 SEAMLESS A106 X52, BARE/BLK LAQ, IMP, BXB, MTRS	2,205
	2 7/8 X .286 7.9# X 31.5' AVG ERW, USED, BARE, T&C	1,985
	2 7/8 X .276 SEAMLESS API X42/X52, SURPLUS, BLK LAQ, IMP, BXB, MTRS	2,313
	2 7/8 #1 6.5 X 31.5' AVG, USED, TUBING, T&C	83,642
	2 7/8 X .217 X 31.5' AVG #1, USED	100,253
	2 7/8 X .203 ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS	38,934
	2 7/8 X .203 ERW A53 GR B/F, GALVANIZED, M&M DOM, T&C, MTRS	2,835
	2 7/8 X .203 ERW, SURPLUS, BARE/BLK LAQ, T&C	5,817
	2 7/8 X .203 ERW, SURPLUS, BLK LAQ, BXB	38,472
	2 7/8 X .190 X 33' 6.5# SECONDARY, TUBING	6,897
	2 7/8 X .120 ERW A53, BLK LAQ, IMP	1,942
	2 7/8 X .120 X 24' ERW A53 GR A, BARE, IMP, SQXSQ	2,544
	2 7/8 X .086 ERW A53 GR A, SURPLUS, BARE/BLK LAQ, ROLL GROOVED ENDS	1,320
	2 5/8 X .190-.225 X 24' DE-COILED TUBING	4,176
	2 3/8 X .281 ERW, SURPLUS, BARE, TUBING, SQXSQ	13,461
	2 3/8 X .250 5.95# X 31.5' AVG, USED	19,341
	2 3/8 X .218 SEAMLESS A53 B, SURPLUS, ARO/FBE/WHITE POLY, BXB/T&C	12,832
	2 3/8 X .218 ERW A53 GR A, BLK LAQ, T&C, IMP, MTRS	2,772
	2 3/8 X 4.7# X 31.5' USED, TUBING, BARE, T&C, LIGHT PITTING	20,174
	2 3/8 X .190 X 31.5' AVG, USED	64,392
	2 3/8 X .154 ERW A53 GR A, ASTM, GALVANIZED, IMP, T&C, MTRS	1,470
	2 3/8 X .154 ERW A53 GR A, SURPLUS, GALVANIZED, IMP, BXB	34,920
	2 3/8 X .154 ERW A53 B, SURPLUS, BARE/BLK LAQ, BXB	1,638
	2 3/8 X .154 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	12,172
	2 3/8 X .154 X 21' ERW A53 GR A, BLK LAQ, T&C, IMP, MTRS (26 PCS PER BUNDLE)	60,501
	2 3/8 X .154 SEAMLESS, USED, LIMITED SERVICE, BARE, IMP	1,218
	2 3/8 X .140 X 32' ERW, BARE, SQXSQ	2,080
	2 3/8 X .120 X 24' ERW, STRUCTURAL, SURPLUS, BARE (37 PCS PER BUNDLE)	1,392
	2 3/8 X 11 GA X 24' ERW, NEW, TUBING, BARE, SQXSQ	1,080
	2 3/8 X .109 ERW, SECONDARY, BARE, SQXSQ, 0-1 RW	2,555
	2 3/8 X .109 ERW A53, BLK LAQ, IMP	2,367
	2 3/8 X .090 X 24' NEW, BARE, SQXSQ	33,660
<b>1</b>	1 1/2 X .109 ERW A53 GR B, BLK LAQ, IMP	2,481
	1.9 X .090 14 GA X 21' ERW, BARE, TUBING, SQXSQ (61 PCS PER BUNDLE)	7,644
	1.9 X .090 X 24' ERW, BARE, TUBING, SQXSQ (61 PCS PER BUNDLE)	8,568

# INTERNATIONAL PIPE

DECEMBER 2024

# BIG LIST

405-478-4500 • [InternationalPipe.com](http://InternationalPipe.com)

.5" - 132"

OD	DESCRIPTION	FOOTAGE
	1.9 X .083 X 20' 14 GA ERW, NEW, BARE	4,420
	1.66 X .120 X 21' NEW, TUBING, BARE	12,918
	1.66 X .109 ERW, STRUCTURAL, BARE, SQXSQ, 0-1 MW	10,941
	1.66 X .083 X 24' 14 GA, NEW, TUBING, BARE, SQXSQ	7,231
	1.66 X .083 X 20' 14 GA ERW, TUBING, BARE, SQXSQ (61 PCS PER BUNDLE)	41,642
	1 1/2 X .145 ERW A53 GR A, BLK LAQ, IMP, MIXED ENDS, MTRS	3,045
	1 1/2 X .083 14GA ERW, SURPLUS, BARE, TUBING, SQXSQ	12,784
	1.315 X .133 ERW, SURPLUS, BLK LAQ, SQXSQ	29,685
	1.315 X .120 X 24' ERW, NEW (61 PCS PER BUNDLE)	7,545
	1 1/4 X .140 ERW A53 GR A, GALVANIZED, M&M DOM, T&C, MTRS	1,632
	1 1/4 X .140 ERW, SURPLUS, BARE/BLK LAQ, BXB	2,961
	1 1/4 X .083 X 20' 14 GA ERW, TUBING, BARE (127 PCS PER BUNDLE)	49,620
	1 1/4 X .083 X 24' 14 GA ERW (127 PCS PER BUNDLE)	9,107
	1 X .179 SEAMLESS A106 GR B, GALVANIZED, T&C	2,564
	1 X .133 ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS	21,531
	1 X .133 ERW A53 GR A, GALVANIZED, IMP, SQXSQ, MTRS	1,554
	1 X .133 ERW A53 GR A/F, GALVANIZED, M&M DOM, T&C, MTRS	9,792
	1 X .133 SEAMLESS A106 GR B, FBE, M&M DOM, MTRS	8,470
<b>3/4</b>	3/4 X .113 ERW A53 GR B, BLK LAQ, IMP, T&C	4,494
	3/4 X .154 ERW A53 GR A/F, GALVANIZED, M&M DOM, BXB, MTRS	2,583
	3/4 X .113 ERW A53 GR A, BLK LAQ, IMP, MIXED ENDS, MTRS	92,883
	3/4 X .113 ERW A53 GR A, GALVANIZED, IMP, T&C, MTRS	2,016
	3/4 X .113 ERW A53 GR A, SURPLUS, BARE/BLK LAQ, T&C	3,129
	3/4 X .065 16 GA ERW, STRUCTURAL, SURPLUS, TUBING, BARE, SQXSQ	20,088
<b>1/2</b>	1/2 X .147 ERW A53 GR B/F, GALVANIZED, DOM, BXB, MTRS	3,045
	1/2 X .147 SEAMLESS A106 GR B, NEW, BARE, SQXSQ	3,581
	1/2 X .109 ERW A53 GR A, GALVANIZED, M&M DOM, BXB, MTRS	4,641
	1/2 X .109 ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS	10,080
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, MIXED ENDS, MTRS	7,119
	1/2 X .109 ERW A53 GR F, FBE, DOM, TXT, MTRS	1,071
	1/2 X .109 X 21' ERW A53 GR A, BLK LAQ, SQXSQ	1,218

Don't see what you're looking for? *Call Today!*  
**405-478-4500**