

INTERNATIONAL
PIPE



BISON
PIPE

BIGFOOT
PIPE & PILING

BIG BEAR
PIPE & STEEL

RED FOX
PIPE & FENCE

THE BIG LIST

OCTOBER 2026

800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
132	132 X .750 SPIRALWELD, LIMITED SERVICE, DOM	625
109	109 1/4 X .625 STRAIGHT SEAM, LIMITED SERVICE, SURPLUS, BARE	75
101	101 X .500 STRAIGHT SEAM, LIMITED SERVICE, SURPLUS, BARE, DOM	8
98	98 X .375 STRAIGHT SEAM, LIMITED SERVICE, SURPLUS, BARE, DOM	5
79	79 X .500 SPIRALWELD, LIMITED SERVICE, BARE, DOM	650
66	66 X .488 STRUCTURAL, BARE, BEVELED ENDS, S	7
62	62 1/5 X .625 SPIRALWELD A252 BARE, DOM	289
60	60 X 1.125 SURPLUS, WHITE PAINT, SQXSQ	16
	60 X 1.00 ROLLED & WELDED, BARE, SQXSQ, 1 MW, MTRS	10
	60 X .625 SPIRALWELD A252, BARE, M&M DOM, MTRS	70
56	56 1/2 X .679 ROLLED & WELDED, LIMITED SERVICE, SURPLUS BARE, DOM	45
54	54 X .688 DSAW API 5L X56, BLK LAQ, IMP, BXB, MTRS	20
	54 X .375 DSAW API 5L, SURPLUS, BARE, BXB	19
52	52 X .750 ROLLED & WELDED, BARE, SQXSQ, 4 MW	21
51	51 X .625 STRUCTURAL, BARE, TCXTC	19
49	49 7/8 X .250 SPIRALWELD, LIMITED SERVICE, BARE, IMP	80
	49 1/4 X .375 SPIRALWELD, LIMITED SERVICE, BARE, IMP	16
48	48 X 1.188 EFW A671 GR C60 CLASS 32, BLK LAQ	21
	48 X 1.00 ROLLED AND WELDED, SURPLUS, BARE, SQXSQ	278
	48 X 1.00 SPIRALWELD, SURPLUS, BARE, MIXED ENDS	450
	48 X .841 SPIRALWELD, GALVANIZED, BXB, MTRS	120
	48 X .812 ASTM 572, SURPLUS, BARE, 1 MW, GROUT HOLES	20
	48 X .750 DSAW, SURPLUS, GALVANIZED, INXB	8
	48 X .750 SPIRALWELD, SECONDARY, BARE, BXSQ/SQXSQ	320
	48 X .720 SPIRALWELD A252 GR 3, BARE, IMP, BXB/BXTC, MTRS	21
	48 X .598 SPIRALWELD A252 GR 3, ARO, M&M DOM, SQXSQ	21
	48 X .598 SPIRALWELD A252 GR 3, BARE, IMP, BXB/BXSQ, MTRS	20
	48 X .598 SPIRALWELD A252 GR 3, TAR, M&M DOM, BXSQ, MTRS	20
	48 X .539 SPIRALWELD A252 GR 3, BARE, M&M DOM, MIXED ENDS, MTRS	75
	48 X .539 SPIRALWELD A252 GR 3, FBE, M&M DOM, BXB, MTRS	18
	48 X .500 SIGN POLE, WHITE PAINT, SQXPLATE	71
	48 X .375 ERW, SURPLUS, BARE, SQXSQ	90
	48 X .375 STRAIGHT SEAM, LIMITED SERVICE, BARE, IMP	144
46	46 x .562 EFW DSAW A672 GR C70	20
44	44 1/2 X .750 SPIRALWELD, LIMITED SERVICE, BARE, DOM	302
	44 1/4 X .250 SPIRALWELD A252 BARE, DOM	66

INTERNATIONAL
PIPE



BISON
PIPE

BIGFOOT
PIPE & PILING

BIG BEAR
PIPE & STEEL

RED FOX
PIPE & FENCE

THE BIG LIST

OCTOBER 2026

800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
44	44 X .188 SPIRALWELD, LIMITED SERVICE, SURPLUS BARE, DOM	73
43	43 7/8 X .375 SPIRALWELD, LIMITED SERVICE, SURPLUS, BARE, DOM	20
	43 7/8 X .250 SPIRALWELD, SURPLUS, CONCRETE & LINED, SQXBEL	80
	42 X 2.780 DSAW, STRUCTURAL, BLK LAQ, 0-1 MW	17
	42 X 1.550 STRUCTURAL, BARE, SQXSQ	26
	42 X .888 STRAIGHT SEAM, BARE, BXTC, MTRS	74
	42 X .888 ERW API 5L X70, ARO/FBE, IMP, BXB	114
	42 X .888 DSAW ARO BXINV	130
	42 X .875 DSAW A252 GR 3, BARE, DOM , BXB, MTRS	61
	42 X .875 DSAW, NEW, SURPLUS, BARE, BXSQ	20
	42 X .865 STRAIGHT SEAM, API X70, ARO, IMP, BEVXTC, MTRS	126
	42 X .864 SPIRALWELD, SURPLUS, BARE MIXED ENDS	17
	42 X .780 SPIRALWELD A252 GR 3, BARE, BXB, MTRS	857
	42 X .750 SPIRALWELD A252, BARE, M&M DOM , MTRS	138
42	42 X .750 SPIRALWELD, SURPLUS, BARE, SQXSQ/BXB	122
	42 X .750 ERW, SURPLUS, FBE, BXSQ/SQXSQ, 0-1 MW, MTRS	80
	42 X .750 ERW A252 BARE, IMP	58
	42 X .740 SPIRALWELD API 5L X70, ARO/FBE, IMP, BXB, MTRS	113
	42 X .660 DSAW, BARE, SQXSQ	148
	42 X .625 SPIRALWELD, SECONDARY, BARE, MIXED ENDS, 0-3 MW	1,858
	42 X .625 SPIRALWELD X70 FBE DOM	167
	42 X .617 SPIRALWELD, SURPLUS, FBE, BXINV	1300
	42 X .600 DSAW API 5L X70, FBE, BERG, BXB, MTRS	530
	42 X .500 SPIRALWELD A252 GR 3/A139 GR C BARE M&M DOM , MIXED ENDS, MTRS	460
	42 X .500 SURPLUS DSAW BARE MIXED ENDS 0-1 MW	302
	42 X .375 DSAW, SURPLUS, BARE, SQXSQ	159
	36 X .875 DSAW A252 GR 3, BARE, DOM , BXB, MTRS	197
	36 X .750 SPIRALWELD, SURPLUS, ARO, MIXED ENDS, 0-6 MW	207
	36 X .750 DSAW API X70, SURPLUS, ARO/FBE, MIXED ENDS, 0-2 MW	750
	36 X .688 DSAW API X65, ARO/FBE, BXB, DOM , MTRS	370
36	36 X .634 ERW X70 CSA GR 483, ARO, SQXSQ, 1 MW	256
	36 X .625 SURPLUS ARO 0-1 MW BXB/SQXSQ	110
	36 X .618 SPIRALWELD X70 ARO/FBE WELSPUN INDIA BXTC MTRS	307
	36 X .618 SPIRALWELD A252 GR 3, SURPLUS, FBE, BXTC	360
	36 X .594 DSAW API X65, ARO/FBE, DOM , MIXED ENDS, 0-1 MW	148
	36 X .579 STRAIGHT SEAM, CSA Z245.1-8 GR 483 CAT II, FBE, IMP	16,177

INTERNATIONAL
PIPE



BISON
PIPE

BIGFOOT
PIPE & PILING

BIG BEAR
PIPE & STEEL

RED FOX
PIPE & FENCE

THE BIG LIST

OCTOBER 2026

800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
36	36 X .572 SPIRALWELD API 5L X70 BARE WELSPUN INDIA BXB MTRS	152
	36 X .562 SPIRALWELD A252 GR 3, SURPLUS, BARE, MIXED ENDS	235
	36 X .531 SPIRALWELD, SURPLUS, FBE, MIXED ENDS	570
	36 X .529 SPIRALWELD A252 BARE, DOM	325
	36 X .515 SPIRALWELD, SURPLUS, FBE, MIXED ENDS, 0-2 MW	1250
	36 X .504 SPIRALWELD A252, BARE, IMP, MTRS	376
	36 X .500 DSAW, SURPLUS, FBE, MIXED ENDS	182
	36 X .500 USED STRAIGHT SEAM, GALVANIZED	135
	36 X .465 DSAW API 5L X70 GR 483 CAT 2, FBE, IMP, 0-1 MW,	2600
	36 X .465 SPIRALWELD API 5L X70, FBE, DOM, MIXED ENDS, MTRS	10,179
	36 X .465 SPIRALWELD A252 GR 3, BARE, MIXED ENDS, MTRS	341
34	34 X .680 SPIRALWELD API 5L X70, ARO, 0-1 MW, MTRS	1,461
	34 X .438 API 5L X65, ARO/FBE, DOM, BXB, MTRS	3,780
	34 X .406 API 5L X65 FBE, DOM, BXB, MTRS	677
31	31 7/8 X .375 SPIRALWELD C200 LIMITED SERVICE, SURPLUS BARE D	1,491
30	30 X .625 STRAIGHT SEAM, SURPLUS, BARE, ROUGH ENDS, 0-1 MW	112
	30 X .625 SPIRALWELD API PSL2 BARE, IMP	138
	30 X .625 DSAW API 5L X70, CLAD, MTRS	125
	30 X .625 DSAW API 5L X70, FBE, DOM, BXB, MTRS	136
	30 X .469 SPIRALWELD, SURPLUS, FBE, MIXED ENDS	112
	30 X .441 SPIRALWELD A252, BARE, DOM, BXSQ, MTRS	18
	30 X .441 SPIRALWELD, SURPLUS, FBE, BXB/BXINV	450
	30 X .375 DSAW X52, SURPLUS, FBE, BXB	239
	30 X .375 SPIRALWELD A252 GR 3, BARE, M&M DOM, SQXSQ, MTRS	616
	30 X .344 SPIRALWELD API 5L X70, FBE, MTRS	273
28	28 X .752 DSAW API 5L X52 X56, BARE, IMP, BOXxPIN, MTRS	744
	28 X .750 ERW X52, BARE, IMP	136
	28 X .750 DSAW API 5L X56, BARE, IMP, MTRS	1,694
26	26 X .375 DSAW A252 GR 3, BARE, DOM, BXB, MTRS	115
24	24 X .500 ERW A252 GR 3, BARE, M&M DOM, BXB, MTRS	221
	24 X .500 SPIRALWELD, SURPLUS, BARE DOM BXSQ BXB	350
	24 X .406 ERW X65 FBE BXSQ BXB MTRS	5,479
	24 X .375 ERW A252 GR 2/3, BARE, DOM, MIXED ENDS, MTRS	1,171
	24 X .375 ERW API 5L X42, BARE/BLK LAQ, IMP, MTRS	1,466
	24 X .375 ERW, SURPLUS, BARE, MIXED ENDS, 0-2 MW	316
	24 X .375 ERW X60 X65 FBE MTRS	1,575

INTERNATIONAL
PIPE



BISON
PIPE

BIGFOOT
PIPE & PILING

BIG BEAR
PIPE & STEEL

RED FOX
PIPE & FENCE

THE BIG LIST

OCTOBER 2026

800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
22	22 X .281 ERW API X70, SURPLUS, FBE, BXB	4,550
	20 X 1.00 SEAMLESS, SURPLUS, ARO, BXB/BXSQ	112
	20 X .812 API X56, NEW, MIXED ENDS, IMP	131
	20 X .812 ERW/SEAMLESS J55, SURPLUS, BARE, DOM	1,563
	20 X .750 SURPLUS GALVANIZED M&M DOM,	102
	20 X .688 SEAMLESS A106 GR B, BARE/BLK LAQ, MTRS	142
	20 X .625 ERW API 5L X65, ARO, IMP, MTRS	246
	20 X .562 ERW X70, SURPLUS, FBE, BXB	363
	20 X .500 ERW A252 GR 2/3, BARE, DOM, BXB, MTRS	34,000
	20 X .500 ERW, SURPLUS, BARE, MIXED ENDS, 0-2 MW	5,628
	20 X .500 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	1,242
	20 X .500 ERW X65, SURPLUS, ARO/FBE, MIXED ENDS	1,083
	20 X .500 SEAMLESS A333 API 5L X52, ARO, BXB	403
	20 X .500 SEAMLESS, SURPLUS, BARE/BLK LAQ, MIXED ENDS, 0-3 M	296
	20 X .500 SEAMLESS X65, SURPLUS, FBE, MIXED ENDS	424
	20 X .500 SPIRALWELD, SURPLUS, BARE, MIXED ENDS	1,683
	20 X .500 X60 X65, SURPLUS, BARE/BLK LAQ, IMP, BXB	630
	20 X .469 ERW A252, BARE, DOM	3,026
20	20 X .438 ERW A252, BARE, DOM, BXB, MTRS	12,315
	20 X .438 ERW A252, BARE, M&M DOM, MTRS	557
	20 X .406 ERW X60 FBE MIXED ENDS MTRS	1,067
	20 X .375 ERW A252, BARE, DOM MAN ONLY	2,800
	20 X .375 ERW A53B, SURPLUS, BARE, IMP	678
	20 X .375 ERW API 5L X65, BARE, DOM, BXB, MTRS	2300
	20 X .375 ERW, LIMITED SERVICE, BARE, DOM	189
	20 X .375 ERW, SURPLUS, FBE, MIXED ENDS, 1-4 MW	304
	20 X .375 ERW X60 X65 FBE DOM BXB BXTX 0-1 MW MTRS	2,250
	20 X .375 SEAMLESS, SURPLUS, BARE/BLK LAQ, MIXED ENDS	166
	20 X .344 ERW, SURPLUS, FBE, BXB, MIXED ENDS	170
	20 X .344 ERW A252, BARE, DOM	513
	20 X .317 ERW, LIMITED SERVICE, BARE, DOM	123
	20 X .312 ERW, SURPLUS, FBE, MIXED ENDS, 0-4 MW	205
	20 X .312 ERW API 5L X60 GR BARE DOM BXB MTRS	335
	20 X .312 ERW A252, BARE, DOM	800
	20 X .281 API 5L X65, FBE, M&M DOM, BXB/BXSQ, MTRS	118
	20 X .134 SPIRALWELD, SURPLUS, CONCRETE & LINED, SQ X BELL	339

INTERNATIONAL
PIPE



BISON
PIPE

BIGFOOT
PIPE & PILING

BIG BEAR
PIPE & STEEL

RED FOX
PIPE & FENCE

THE BIG LIST

OCTOBER 2026

800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
18	18 X .750 ERW A252 GR3, SURPLUS, BARE, MIXED ENDS	296
	18 X .625 SEAMLESS API 5L GR B X42, FBE, M&M DOM, BXB, MTRS	462
	18 X .625 ERW A252-19 GR 3, BARE, M&M DOM, SQXSQ/SQXCAP, MTRS	152
	18 X .605 ERW A252, BARE, M&M DOM, MTRS	345
	18 X .625 ERW, STRUCTURAL, SURPLUS, BARE	199
	18 X .605 - .625 ERW, SURPLUS, BARE, ID SEAM, 2-5 MW	2,545
	18 X .562 ERW, SURPLUS, BARE BXB	230
	18 X .562 SEAMLESS API 5L X65, SURPLUS, BARE, BXB	502
	18 X .375 ERW API 5L X42 A53 B, BLK LAQ, IMP, BXB, MTRS	500
	18 X .250 ERW A53 GR B, YGIII, IMP	200
17	17 3/8 X .250 SPIRALWELD, LIMITED SERVICE, BARE, IMP	64
16	16 X .844 SEAMLESS, SURPLUS, FBE, SQXSQ	446
	16 X .656 ERW, SURPLUS, FBE, MIXED ENDS	400
	16 X .625 ERW A252 GR 3, SURPLUS, BARE, SQXSQ/SQXTC	300
	16 X .625 ERW A500 GR C, BARE, M&M DOM, SQXSQ, MTRS	954
	16 X .500 ERW A252 GR 3, BARE, DOM, BXB, MTRS	243
	16 X .500 ERW API 5L X60, ARO/FBE, DOM, BXB, MTRS	189
	16 X .500 ERW, BARE, MTRS	96
	16 X .500 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	229
	16 X .500 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	267
	16 X .500 GALVANIZED, MIXED ENDS	190
	16 X .500 SEAMLESS, SURPLUS, FBE, BXB	130
	16 X .500 SEAMLESS, SURPLUS, BARE/BLK LAQ, MIXED ENDS	159
	16 X .375 - .430 BARE/BLK, REMNANTS, CAPPED	158
	16 X .375 ERW A252 GR 2/3, BARE, DOM, BXB, MTRS	8400
	16 X .375 ERW A252 GR 3, FBE, ID SEAM, DOM, BXB, MTRS	270
	16 X .375 ERW A53 GR B X42, GALVANIZED, IMP, BXB, ROLLED GROOVED	375
	16 X .375 ERW API 5L X52, CTD, IMP, BXB, MTRS	702
	16 X .375 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	876
	16 X .375 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	389
	16 X .375 ERW X60 X65 ARO/FBE MIXED ENDS MTRS	641
	16 X .375 SEAMLESS, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	301
	16 X .344 ERW A252 GR 2/3 BARE DOM MIXED ENDS MTRS	2,127
	16 X .312 ERW A252, BARE, DOM	279
	16 X .312 ERW A53 X42, SURPLUS, ARO, BXB	1,130
	16 X .312 ERW API 5L A53 GR B X42, BARE, IMP, BXB, MTRS	1,821

INTERNATIONAL
PIPE



BISON
PIPE

BIGFOOT
PIPE & PILING

BIG BEAR
PIPE & STEEL

RED FOX
PIPE & FENCE

THE BIG LIST

OCTOBER 2026

800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
16	16 X .312 ERW API 5L X52 X46 FBE DOM BXB MTRS	399
	16 X .312 ERW, LIMITED SERVICE, BARE, BXB/BXSQ	442
	16 X .312 ERW, SURPLUS, BARE/FBE, MIXED ENDS, 0-1 MW	1,333
	16 X .312 ERW X60 X65 FBE BXB MIXED ENDS MTRS	224
	16 X .281 ERW X52, SURPLUS, FBE, MIXED ENDS, 0-1 MW	1,201
	16 X .281 ERW A252 GR 2/3, BARE, DOM , BXB/BXSQ, MTRS	1,611
	16 X .250 API 5L X60 X65, SURPLUS, FBE, MIXED ENDS, 0-2 MW	255
	16 X .250 C200, SPIRALWELD, BARE, M&M DOM , MTRS	480
	16 X .250 ERW, SURPLUS, BARE/FBE, MIXED ENDS	424
	16 X .250 ERW, LIMITED SERVICE, BARE, DOM	10
	16 X .250 ERW API 5L X42 BLK LAQ IMP BXB MTRS	922
	16 X .250 ERW API 5L X52, FBE, DOM , BXB, MTRS	1,319
	16 X .250 ERW API 5L X65 GR BARE DOM , MIXED ENDS, MTRS	1,490
	16 X .250 A252 GR 2/3, BARE, DOM , BXB, MTRS	984
14	14 X 1.00 - 1.250 SEAMLESS, SURPLUS, BARE	109
	14 X .750 SEAMLESS, SURPLUS, BLK LAQ, ID LINER, MIXED ENDS	190
	14 X .750 SEAMLESS, SURPLUS, ARO/FBE, MIXED ENDS	72
	14 X .720 SEAMLESS, SURPLUS, FBE, BXTX, 0-1 MW	20
	14 X .720 SEAMLESS, SURPLUS, BARE, BXB	41
	14 X .625 DSAW, STRUCTURAL, SURPLUS, BARE	113
	14 X .600 SEAMLESS API 5L X65, FBE, M&M DOM , MTRS	1,475
	14 X .600 SEAMLESS API 5L X65, BARE, M&M DOM , MTRS	1,169
	14 X .500 A252 GR 2, BLK LAQ, IMP, SQXSQ, MTRS	118
	14 X .500 ERW, SURPLUS, ARO/TAR, MIXED ENDS	707
	14 X .500 ERW, SURPLUS, BARE/BLK LAQ, ID SEAM, SQXSQ	335
	14 X .500 ERW, SURPLUS, BARE/FBE, BXB	186
	14 X .500 ERW API 5L X52, BARE, DOM , BXB, MTRS	1,603
	14 X .500 ERW API 5L X52, FBE, DOM , BXB, MTRS	659
	14 X .500 ERW API 5L X52, POWERCRETE, DOM , BXB, MTRS	793
	14 X .438 ERW, SURPLUS, BARE DOM SQXSQ	600
	14 X .375 ERW A252 GR 3, BARE, M&M DOM , SQXSQ, MTRS	280
	14 X .375 ERW A53 GR B, BARE, IMP	860
	14 X .375 ERW A53 GR B X42, GALVANIZED, IMP, BXB, MTRS	511
	14 X .375 ERW, LIMITED SERVICE, BARE, DOM , BXB	102
	14 X .375 ERW, SURPLUS, YELLOW JACKET, BXB	202
	14 X .375 ERW X52, FBE, DOM	645

INTERNATIONAL
PIPE



BISON
PIPE

BIGFOOT
PIPE & PILING

BIG BEAR
PIPE & STEEL

RED FOX
PIPE & FENCE

THE BIG LIST

OCTOBER 2026

800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
14	14 X .312 ERW API 5L X42 A53 GR B, BARE/BLK LAQ, IMP, MIXED ENDS, MTRS	250
	14 X .134 ERW A252, BARE, DOM, SQXSQ, MTRS	105
	14 X .109 ERW A252 GR 2, BARE, DOM, SQXSQ, MTRS	100
12	12 3/4 X 1.375 SEAMLESS, BARE/BLK LAQ, BXB/BXSQ, MTRS	70
	12 3/4 X 1.312 ERW, SURPLUS, FBE, DOM	224
	12 3/4 X 1.312 ERW, SURPLUS, BARE, IMP	487
	12 3/4 X 1.125 ERW, SURPLUS, BARE, SQXSQ	20
	12 3/4 X 1.00 SEAMLESS, SURPLUS, BARE, MIXED ENDS	61
	12 3/4 X .844 SEAMLESS API 5L X65, SURPLUS, BARE, BXB	322
	12 3/4 X .750 ERW, SURPLUS, BARE, WHITE FBE, ID LINER, SQXSQ	168
	12 3/4 X .650 SEAMLESS API X65, BARE, PITTING	259
	12 3/4 X .625 A500, SURPLUS, BARE, BXB	285
	12 3/4 X .562 ERW, SURPLUS, BARE, BXB	1300
	12 3/4 X .562 SEAMLESS, SURPLUS, BARE/BLK LAQ, SQXSQ	129
	12 3/4 X .500 A252 ASTM 123, GALVANIZED, MIXED ENDS, M&M DOM	126
	12 3/4 X .500 ERW A53 GR B A252 GR 3, BARE, IMP, BXB, MTRS	1,501
	12 3/4 X .500 ERW, LIMITED SERVICE, BARE, DOM	295
	12 3/4 X .500 ERW, SURPLUS, ARO/FBE, BXB	768
	12 3/4 X .500 ERW, SURPLUS, BARE, BXB/SQXTC	178
	12 3/4 X .500 GALVANIZED, BXB	165
	12 3/4 X .500 SEAMLESS, SURPLUS, BARE, MIXED ENDS	101
	12 3/4 X .500 SURPLUS SEAMLESS FBE BXB	148
	12 3/4 X .469 SEAMLESS API 5L GR B X65, ARO/FBE, IMP, BXB, MTRS	7,453
	12 3/4 X .469 SEAMLESS API 5L GR B X65, BARE, IMP, BXB, MTRS	834
	12 3/4 X .469 SEAMLESS API 5L GR B X65, GALVANIZED, IMP, BXB	310
	12 3/4 X .406 ERW A500 GR B/C, BARE, DOM, SQXSQ, MTRS	117
	12 3/4 X .406 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	218
	12 3/4 X .406 ERW, SURPLUS, BARE, BXB	331
	12 3/4 X .375 API 5L X42 X52 A53 GR B, FBE, DOM, BXB, MTRS	134
	12 3/4 X .375 ERW A53 GR B X42, GALVANIZED, IMP, BXB/VGXVG,	400
	12 3/4 X .375 ERW API 5L X52, CLEANED BARE, M&M DOM, BXB, MTRS	345
	12 3/4 X .375 ERW API 5L X52, ARO, M&M DOM, BXB, MTRS	115
	12 3/4 X .375 ERW ARO/FBE MIXED ENDS 0-1 MW, MTRS	212
	12 3/4 X .375 ERW, GALVANIZED TO BARE, MIXED ENDS, 0-1 MW	114
	12 3/4 X .375 ERW, LIMITED SERVICE, BARE, MIXED ENDS, 0-1 MW	415
	12 3/4 X .375 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	1,532

INTERNATIONAL
PIPE



BISON
PIPE

BIGFOOT
PIPE & PILING

BIG BEAR
PIPE & STEEL

RED FOX
PIPE & FENCE

THE BIG LIST

OCTOBER 2026

800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
12	12 3/4 X .375 ERW, SURPLUS, ARO/FBE, ID FLOWLINER, ZAP LOCK	190
	12 3/4 X .375 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS, 0-1 MW	490
	12 3/4 X .375 ERW, SURPLUS, CLEANED BARE, BXB, 0-1 MW	223
	12 3/4 X .375 ERW, SURPLUS, PRITEC	173
	12 3/4 X .375 SEAMLESS, SURPLUS, BARE/BLK LAQ, BXB/BXTC	174
	12 3/4 X .375 SEAMLESS, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	252
	12 3/4 X .375 SEAMLESS A53 GR B X42, SURPLUS, ACRYLIC/FBE, B	835
	12 3/4 X .344 A252 GR 3, BARE, DOM, BXB, MTRS	126
	12 3/4 X .330 ERW, LIMITED SERVICE, BARE, DOM	590
	12 3/4 X .312 ERW, SURPLUS, BARE, BXB	247
	12 3/4 X .330 ERW, SURPLUS, ARO/FBE, BXB	150
	12 3/4 X .312 ERW A252, BARE, DOM	912
	12 3/4 X .312 ERW API, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	693
	12 3/4 X .312 ERW, SURPLUS, CLEANED BARE, BXB	632
	12 3/4 X .312 ERW, LIMITED SERVICE, BARE, DOM	7,110
	12 3/4 X .312 ERW, LIMITED SERVICE, FBE, IMP	287
	12 3/4 X .281 ERW A252, BARE, DOM	234
	12 3/4 X .281 ERW API 5L X52, FBE, M&M DOM, BXB, MTRS	328
	12 3/4 X .281 ERW, LIMITED SERVICE, BARE, DOM	601
	12 3/4 X .281 ERW, SURPLUS, BARE BXB 1-3 MW	663
	12 3/4 X .281 ERW, SURPLUS, ARO/FBE, MIXED ENDS	514
	12 3/4 X .281 ERW, SURPLUS, YELLOW JACKET, BXB	503
	12 3/4 X .250 ERW, SURPLUS, X52 A53 GR B CLND BARE BXB	121
	12 3/4 X .250 ERW A252, BARE, DOM	659
	12 3/4 X .250 ERW A500 GR B/C, BARE, DOM, SQXSQ, MTRS	105
	12 3/4 X .250 ERW API 5L A53 GR B, BLK LAQ, IMP, SQXSQ	248
	12 3/4 X .250 ERW API 5L X56, CLEANED BARE, M&M DOM, MIXED ENDS	198
	12 3/4 X .250 ERW API 5L X60, FBE, M&M DOM, BXB, MTRS	895
	12 3/4 X .250 ERW, LIMITED SERVICE, BARE, DOM	698
	12 3/4 X .250 ERW, SURPLUS, LIMITED SERVICE, BARE, BXB	178
	12 3/4 X .250 ERW X65, SURPLUS, FBE, BXB	15,861
	12 3/4 X .219 ERW, SURPLUS, ARO/FBE, BXB	632
	12 3/4 X .219 ERW X52, SURPLUS, FBE, MIXED ENDS	289
	12 X .250 ERW, SURPLUS, BARE, DOM, BXB	1,757
	12 X .188 ERW A513, BARE, DOM, SQXSQ, MTRS	200
10	10 3/4 X .719 SEAMLESS API 5L, SURPLUS, BARE, BXB/BXTC	107

INTERNATIONAL
PIPE



BISON
PIPE

BIGFOOT
PIPE & PILING

BIG BEAR
PIPE & STEEL

RED FOX
PIPE & FENCE

THE BIG LIST

OCTOBER 2026

800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
10	10 3/4 X .594 SEAMLESS API 5L X65, SURPLUS, BARE, BXB	425
	10 3/4 X .500 ERW A500 GR B, BARE, DOM, SQXSQ, MTRS	196
	10 3/4 X .500 ERW A53 GR B X46 X52, IMP, MTRS	378
	10 3/4 X .500 ERW API 5L X52, FBE, IMP, BXB, MTRS	468
	10 3/4 X .500 ERW API 5L X65, ARO/FBE, DOM, MTRS	516
	10 3/4 X .500 GALVANIZED, MIXED ENDS	129
	10 3/4 X .500 ERW, STRUCTURAL, BARE, MIXED ENDS	1,569
	10 3/4 X .500 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	600
	10 3/4 X .500 ERW, SURPLUS, BARE, BXB	404
	10 3/4 X .500 SEAMLESS API X42, ARO/FBE, IMP, MTRS	1,552
	10 3/4 X .500 SEAMLESS, SURPLUS, BARE	310
	10 3/4 X .500 SEAMLESS X52, FBE, IMP	500
	10 3/4 X .469 SEAMLESS API 5L X65, BARE, BXB	110
	10 3/4 X .469 SEAMLESS API 5L X65, ARO/FBE, BXB, MTRS	187
	10 3/4 X .375 ERW A500 GR B/C, BARE, DOM, SQXSQ, MTRS	150
	10 3/4 X .365 ERW A252 GR 3, BARE, M&M DOM, BXB/SQXSQ, MTRS	1,115
	10 3/4 X .365 ERW A53 GR B, BARE, IMP	294
	10 3/4 X .365 ERW API 5L X52, FBE, M&M DOM, BXB, MTRS	252
	10 3/4 X .365 ERW, SURPLUS, ARO/FBE, MIXED ENDS	2,680
	10 3/4 X .365 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	450
	10 3/4 X .365 ERW, SURPLUS, BARE, ID LINER, BXB	504
	10 3/4 X .365 ERW, SURPLUS, FBE, BXB	1,220
	10 3/4 X .365 ERW X60 ARO IMP BXB MTRS	175
	10 3/4 X .365 SEAMLESS A106 A53 GR B, BARE, M&M DOM, BXB/BXT	465
	10 3/4 X .365 SEAMLESS, SURPLUS, FBE, MIXED ENDS, 0-1 MW	402
	10 3/4 X .365 SEAMLESS, SURPLUS, BARE/BLK LAQ, MIXED ENDS	591
	10 3/4 X .307 ERW, LIMITED SERVICE, BARE, IMP	111
	10 3/4 X .279 ERW, SURPLUS, BARE, BXB	430
	10 3/4 X .279 ERW API 5L X42 GR B A53, BARE, IMP, BXB/BXSQ	528
	10 3/4 X .250 ERW API X52, SURPLUS, FBE, IMP, MIXED ENDS, 0-	499
	10 3/4 X .250 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	319
	10 3/4 X .250 ERW, SURPLUS, BARE/BLK LAQ, IMP, BXB	374
	10 3/4 X .250 ERW, SURPLUS, BARE, MIXED ENDS, 0-1 MW	1,633
	10 3/4 X .188 ERW, SURPLUS, CLEANED BARE, MIXED ENDS 0-1 MW	523
	10 3/4 X .219 ERW, SURPLUS, FBE, MIXED ENDS, 0-2 MW	341
	10 3/4 X .188 ERW A53 GR B X42, BARE, BXB, MTRS	103

INTERNATIONAL
PIPE



BISON
PIPE

BIGFOOT
PIPE & PILING

BIG BEAR
PIPE & STEEL

RED FOX
PIPE & FENCE

THE BIG LIST

OCTOBER 2026

800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
10	10 X .135 ERW A513, BARE, DOM , SQXSQ, MTRS	180
	9 5/8 X .472 SURPLUS, BARE, CASING, MIXED ENDS	254
9	9 5/8 X .250 ERW A500 GR B/C, BARE, M&M DOM , SQXSQ, MTRS	141
	9 5/8 40# NEW CASING, BLK LAQ	728
	8 5/8 X .250 ERW, SURPLUS, LIMITED SERVICE, BARE	120
	8 5/8 X .625 SEAMLESS API 5L X65, SURPLUS, BARE, BXB	1,960
	8 5/8 X .562 SEAMLESS API 5L X65, SURPLUS, BARE, BXB	593
	8 5/8 X .500 ERW A53, BARE, M&M DOM , BXB, MTRS	148
	8 5/8 X .500 SEAMLESS A106 GR B, ARO/FBE, BXB, MTRS	170
	8 5/8 X .500 ERW, SURPLUS, SECONDARY, BARE, SQXSQ	2,119
	8 5/8 X .500 ERW, SURPLUS, BARE, VGXVC	805
	8 5/8 X .438 SEAMLESS API 5L X60, BARE/FBE, IMP, BXB, MTRS	1,184
	8 5/8 X .438 SEAMLESS X60, SURPLUS, BARE, BXB	2,281
	8 5/8 X .322 ERW A53 GR A, BARE, DOM	399
	8 5/8 X .322 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	894
	8 5/8 X .322 ERW A53 B, SURPLUS, BARE/BLK LAQ, BXB	441
	8 5/8 X .322 ERW A53 B X42, GALVANIZED, BXB	1,210
	8 5/8 X .322 ERW, STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-1 MW	10,500
	8 5/8 X .322 ERW, SURPLUS, A53 GR B BLK LAQ DOM BXB	586
	8 5/8 X .322 ERW, SURPLUS, LIMITED SERVICE, BARE	307
8	8 5/8 X .322 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	623
	8 5/8 X .322 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-2 MW	5,735
	8 5/8 X .322 ERW, SURPLUS, YELLOW PAINT, BXB/BXSQ	215
	8 5/8 X .322 ERW X52 A53 GR B, SURPLUS, FBE, IMP, ZAP LOCK E	163
	8 5/8 X .322 SEAMLESS, SURPLUS, ARO/FBE, MIXED ENDS	1,362
	8 5/8 X .322 SEAMLESS, SURPLUS, BARE/BLK LAQ, MIXED ENDS	442
	8 5/8 X .277 ERW, SURPLUS, BARE/ARO/FBE, SQXSQ	863
	8 5/8 X .250 ERW A53 GR B, BARE, IMP, BXB, MTRS	5,064
	8 5/8 X .250 ERW, STRUCTURAL, SURPLUS, BARE, ID SEAM, BXB, 2	964
	8 5/8 X .250 ERW, SURPLUS, ARO/FBE, MIXED ENDS	3,219
	8 5/8 X .250 STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-3 MW	8,000
	8 5/8 X .250 ERW X52, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	644
	8 5/8 X .250 ERW X65 A53 GR B, SURPLUS, FBE, BXB	831
	8 5/8 X .219 ERW, LIMITED SERVICE, BARE, DOM	384
	8 5/8 X .219 ERW, SURPLUS, BARE, MIXED ENDS, 0-3 MW	723
	8 5/8 X .219 ERW, SURPLUS, FBE, MIXED ENDS, 0-1 MW	1,102

INTERNATIONAL
PIPE



BISON
PIPE

BIGFOOT
PIPE & PILING

BIG BEAR
PIPE & STEEL

RED FOX
PIPE & FENCE

THE BIG LIST

OCTOBER 2026

800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
8	8 5/8 X .219 ERW, SURPLUS, FBE, BXB, MTRS	396
	8 5/8 X .219 ERW X52 FBE DOM BXB MTRS	158
	8 5/8 X .188 SEAMLESS, SURPLUS, FBE, BXB	111
	8 5/8 X .188 ERW, LIMITED SERVICE, GALVANIZED, IMP	420
	8 5/8 X .188 ERW, STRUCTURAL, SURPLUS, BARE, BXB, 1-4 MW	3,896
	8 5/8 X .188 ERW, SURPLUS, CLEANED BARE, MIXED ENDS, 0-1 MW	268
	8 5/8 X .188 ERW, SURPLUS, FBE, MIXED ENDS	1,638
	8 X .250 ERW A500 GR B, BARE, DOM , SQXSQ, MTRS	432
7	7 5/8 X .385 SEAMLESS, SURPLUS, BARE, SQXSQ/T&C	3,094
	7 5/8 X .375 ERW, LIMITED SERVICE, CASING, BARE/BLK LAQ, BXB	8,098
	7 5/8 X .330 SEAMLESS, SURPLUS, BARE, SQXSQ	421
	7 X .540 SEAMLESS, LIMITED SERVICE, BARE, IMP	154
	7 X .540 SEAMLESS, LIMITED SERVICE, BARE, DOM	117
	7 X .250 ERW, SURPLUS, BARE, SQXSQ	4,292
	7 X .188 ERW, SURPLUS, BARE, SQXSQ	218
6	6 5/8 X .432 SEAMLESS X42 X52, SURPLUS, FBE, GROOVED ENDS	3,156
	6 5/8 X .375 ERW X42, BARE, IMP	1,481
	6 5/8 X .280 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	1,929
	6 5/8 X .280 ERW, SURPLUS, BLK LAQ, BXB	1,750
	6 5/8 X .280 ERW, SURPLUS, GALVANIZED, BXB	4,158
	6 5/8 X .280 ERW, SURPLUS, GALVANIZED, IMP, T&C	852
	6 5/8 X .280 SEAMLESS, SURPLUS, BARE/BLK LAQ, MIXED ENDS	511
	6 5/8 X .188 ERW, SURPLUS, ARO/FBE, BXB	1,140
	6 5/8 X .134 ERW A53, BLK LAQ, IMP	3,968
	6 X .250 ERW, SURPLUS, BARE, SQXSQ, 0-1 RW	5,150
	6 X .250 ERW, SURPLUS, BARE, SQXSQ	1,687
	6 X .188 ERW, SURPLUS, BARE, SQXSQ	3,672
	6 X .188 ERW A500 GR B/C, BARE, IMP, SQXSQ, MTRS	1,005
	6 X .120 ERW A513 BARE MTRS	675
	6 X .109 ERW A500 BARE MTRS	980
5	5 9/16 X .258 ERW A500 BARE MTRS	661
	5 9/16 X .258 ERW A53 GR B X42, GALVANIZED, IMP, BXB/VGXVG,	1,344
	5 9/16 X .258 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	735
	5 9/16 X .134 A53 GR A, GALVANIZED, MTRS	5,355
	5 1/2 X .361 ERW, BARE, CASING, MIXED ENDS	5,861
	5 1/2 X .304 ERW, CASING, BARE, MIXED ENDS	3,197

INTERNATIONAL
PIPE



BISON
PIPE

BIGFOOT
PIPE & PILING

BIG BEAR
PIPE & STEEL

RED FOX
PIPE & FENCE

THE BIG LIST

OCTOBER 2026

800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
4	4 1/2 X .337 X 42' GR B, SURPLUS	1,008
	4 1/2 X .337 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	2,542
	4 1/2 X .337 SEAMLESS, SURPLUS, ARO/FBE, BXB	7,477
	4 1/2 X .337 SEAMLESS, SURPLUS, BARE, BXB	3,389
	4 1/2 X .337 - .406 SEAMLESS, SURPLUS, BARE/BLK LAQ, MIXED E	1,707
	4 1/2 X .290 X 45' GR B, SURPLUS	1,476
	4 1/2 X .290 ERW A53 GR B, BARE	6,816
	4 1/2 X .290 ERW A252 GR 2/3, BARE, M&M DOM , SQXSQ, MTRS	4,051
	4 1/2 X .250 ERW A252 GR 2/3, BARE, M&M DOM , SQXSQ, MTRS	12,401
	4 1/2 X .250 ERW, LIMITED SERVICE, BARE	2,250
	4 1/2 X .237 ERW A252 GR 3, BARE, DOM , BXB, MTRS	2,354
	4 1/2 X .237 ERW API X52, SURPLUS, FBE, MIXED ENDS	2,636
	4 1/2 X .237 ERW, SURPLUS, A53 GR B BLK LAQ DOM BXB	1,182
	4 1/2 X .237 ERW, SURPLUS, ARO/FBE, MIXED ENDS	2,636
	4 1/2 X .237 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS, 0-1 MW	2,022
	4 1/2 X .237 ERW, SURPLUS, LIMITED SERVICE, BARE, DOM	2,112
	4 1/2 X .237 SEAMLESS, SURPLUS, BARE/BLK LAQ, MIXED ENDS	6,700
	4 1/2 X .188 ERW, SURPLUS, LIMITED SERVICE, ODC	4,118
	4 1/2 X .188 - .237 STRUCTURAL, SURPLUS, SHORTS, BARE, MIXED	3,272
	4 1/2 X .156 ERW, SURPLUS, LIMITED SERVICE, ODC	6,109
	4 1/2 X .156 ERW, SURPLUS, FBE, BXB	3,511
	4 1/2 X .120 ERW A53A BLK LAQ IMP ROLL GROOVED ENDS MTRS	2,750
	4 1/2 X .102 ERW A795 GR A BLK LAQ BXB IMP MTRS	28,966
3	3 1/2 X .600 SEAMLESS, SURPLUS, FBE, IMP, BXB	1,367
	3 1/2 X .438 SEAMLESS, SURPLUS, FBE, BXB	2,741
	3 1/2 X .335 X 31.5' SEAMLESS, SURPLUS, BARE, BELLED T&C	2,803
	3 1/2 X .318 ERW API 5L X42 A53 GR B, BARE, IMP, BXB, MTRS	3,211
	3 1/2 X .300 ERW, SURPLUS, BARE, BXB	2,681
	3 1/2 X .300 ERW API X52, SURPLUS, ARO/FBE, IMP, BXB	4,286
	3 1/2 X .300 ERW API 5L X52, BARE, DOM , MTRS	1,069
	3 1/2 X .300 ERW A53 GR B, BLK LAQ, M&M DOM , BXB, MTRS	1,128
	3 1/2 X .300 SEAMLESS A106 GR B, BARE/BLK, M&M DOM , BXB, MTRS	11,905
	3 1/2 X .300 SEAMLESS, SURPLUS, BARE, MIXED ENDS	1,485
	3 1/2 X .216 ERW, SURPLUS, BLK LAQ BXB	5,380
	3 1/2 X .216 ERW A53 GR B, SURPLUS, GALVANIZED, IMP, BXB	2,772
	3 1/2 X .216 ERW A53 GR A, GALVANIZED, IMP, T&C (14 PCS PER BUNDLE)	37,590

INTERNATIONAL
PIPE



BISON
PIPE

BIGFOOT
PIPE & PILING

BIG BEAR
PIPE & STEEL

RED FOX
PIPE & FENCE

THE BIG LIST

OCTOBER 2026

800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
3	3 1/2 X .216 ERW, SURPLUS, FBE, BXB	2,270
	3 1/2 X .216 SCH 40 ERW, SECONDARY, BARE, SQXSQ	1,111
	3 1/2 X .216 SEAMLESS, SURPLUS, FBE, BXB, MTRS	3,331
	3 1/2 X .216 SEAMLESS, SURPLUS, BARE/BLK LAQ, MIXED ENDS	5,109
	3 1/2 X .188 ERW X42 A53 GR B, BARE/BLK LAQ, IMP, BXB, MTRS	3,974
	3 1/2 X .156 SEAMLESS A106 GR B, FBE, BXB	1,804
	3 1/2 X .120 ERW, SECONDARY, BARE, SQXSQ	3,394
	3 1/2 X .120 ERW A53, BLK LAQ, IMP	1,700
	3 1/2 X .093 ERW A795 GR A BLK LAQ IMP BXB MTRS	29,526
	3 X .250 ERW, SECONDARY, BARE, TUBING, SQXSQ/TCXTC	2,344
2	2 7/8 X .375 SEAMLESS A106 X52, BARE/BLK LAQ, IMP, BXB, MTRS	2,205
	2 7/8 X .276 SEAMLESS API X42/X52, SURPLUS, BLK LAQ, IMP, BX	1,803
	2 7/8 X .217 X 33' 6.5# L80 EUE, BARE, SECONDARY, TUBING	31,172
	2 7/8 X .203 ERW API 5L X42 A53 GR B, BARE, IMP, BXB, MTRS	1,365
	2 7/8 X .203 ERW, SURPLUS, BARE/BLK LAQ, T&C	5,817
	2 7/8 X .203 ERW, SURPLUS, BLK LAQ, BXB	38,073
	2 7/8 X .203 ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS	38,766
	2 7/8 X .203 ERW A53 GR B/F, GALVANIZED, M&M DOM, T&C, MTRS	2,835
	2 7/8 X .120 X 24' ERW A53 GR A, BARE, IMP, SQXSQ	2,544
	2 7/8 X .120 ERW A53, BLK LAQ, IMP	1,942
	2 7/8 X .120 ERW A53 A, BLK LAQ, IMP, ROLL GROOVED ENDS,	3,759
	2 7/8 X .120 A135, BLK LAQ, SQXSQ, NOTCHED ENDS	1,734
	2 7/8 X .086 ERW A795 GR A, BARE/BLK LAQ, IMP, BXB, MTRS	31,692
	2 7/8 X .086 ERW A53 GR A, SURPLUS, BARE/BLK LAQ, ROLL GROOV	1,320
	2 5/8 X .190-.225 X 24' DE-COILED TUBING	3,576
	2 3/8 X 11 GA X 24' ERW, NEW, TUBING, BARE, SQXSQ	1,080
	2 3/8 X .281 ERW, SURPLUS, BARE, TUBING, SQXSQ	13,439
	2 3/8 X .250 - .281 SEAMLESS, SURPLUS, BARE, MIXED ENDS	1,281
	2 3/8 X .218 X 42' A53 GR B/C, SECONDARY, TUBING	5,208
	2 3/8 X .218 ERW, SURPLUS, BARE, MIXED ENDS	6,653
	2 3/8 X .218 ERW API 5L X46 X52 A53 GR B, BARE/BLK LAQ, IMP,	1,827
	2 3/8 X .218 ERW A500 A53 GR B, BARE/BLK LAQ, DOM, BXB/SQXSQ	3,045
	2 3/8 X .218 SEAMLESS A106 API 5L, FBE, DOM, BXB, MTRS	2,196
	2 3/8 X .218 SEAMLESS A53 B, SURPLUS, ARO/FBE/WHITE POLY, BX	13,558
	2 3/8 X .218 SEAMLESS, SURPLUS, BARE, MIXED ENDS	8,863
	2 3/8 X .190 X 33' A53 GR B/C, SECONDARY, TUBING	21,306

INTERNATIONAL
PIPE



BISON
PIPE

BIGFOOT
PIPE & PILING

BIG BEAR
PIPE & STEEL

RED FOX
PIPE & FENCE

THE BIG LIST

OCTOBER 2026

800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
2	2 3/8 X .190 REJECT A53 GR B/C TUBING X 33'	2,607
	2 3/8 X .154 ERW A53 GR A, SURPLUS, GALVANIZED, IMP, BXB	29,534
	2 3/8 X .154 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	118,956
	2 3/8 X .154 SEAMLESS, SURPLUS, FBE	10,926
	2 3/8 X .154 SEAMLESS, SURPLUS, BARE/BLK LAQ, MIXED ENDS	4,032
	2 3/8 X .154 X 21' ERW A53 GR A, BLK LAQ, T&C, IMP, MTRS (26 PCS PER BUNDLE)	59,115
	2 3/8 X .140 X 32' ERW, BARE, SQXSQ	2,080
	2 3/8 X .120 X 24' ERW, STRUCTURAL, SURPLUS, BARE (37 PCS PER BUNDLE)	1,392
	2 3/8 X .109 ERW, SECONDARY, BARE, SQXSQ, 0-1 RW	1,991
	2 3/8 X .109 ERW A53, BLK LAQ, IMP	2,367
	2 3/8 X .109 ERW A53 GR A, BLK LAQ, IMP, ROLL GROOVED ENDS,	5,460
	2 3/8 X .090 X 24' ERW, BARE, SQXSQ	27,621
	1.9 X .083 X 24' 14 GA ERW, BARE	16,800
	1.66 X .120 X 21' ERW, BARE, TUBING, SQXSQ	18,990
1	1.66 X .109 ERW, STRUCTURAL, BARE, SQXSQ, 0-1 MW	10,920
	1.66 X .083 X 20' 14GA ERW, BARE, TUBING, SQXSQ, 61 PCS PER	80,000
	1.315 X .133 ERW, SURPLUS, BLK LAQ, SQXSQ	3,108
	1.315 X .120 X 24' ERW, NEW (61 PCS PER BUNDLE)	11,361
	1 1/2 X .145 ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS	1,218
	1 1/2 X .109 ERW A53 GR B, BLK LAQ, IMP	5,581
	1 1/2 X .083 ERW A795 GR A, BLK LAQ, IMP, BXB, MTRS	26,510
	1 1/2 X .083 14GA STRUCTURAL, TUBING, BARE, SQXSQ	10,522
	1 1/4 X .140 ERW, SURPLUS, BARE/BLK LAQ, BXB	2,037
	1 1/4 X .140 ERW A53 GR A, BARE/BLK LAQ, IMP, T&C, MTRS	5,338
	1 1/4 X .083 X 20' 14 GA ERW, BARE, IMP, SQXSQ	57,850
	1 1/4 X .083 X 24' 14GA STRUCTURAL, TUBING, BARE (127 PCS PER BUNDLE)	33,112
	1 X .179 SEAMLESS, SURPLUS, BARE, DOM	6,424
	1 X .179 SEAMLESS A106 GR B, GALVANIZED, T&C	2,564
	1 X .133 ERW, SURPLUS, BARE, SQXSQ	95,779
	1 X .133 ERW A53 GR A, BLK LAQ, IMP, T&C/TXT, MTRS	9,852
	1 X .133 ERW A53 GR A/F, GALVANIZED, M&M DOM, T&C, MTRS	9,792
	1 X .133 ERW A53 GR A, GALVANIZED, IMP, T&C, MTRS	1,260
	1 X .133 ERW A53 GR A, GALVANIZED, IMP, SQXSQ, MTRS	1,554
	1 X .133 ERW A53 GR A, SURPLUS, BARE/BLK LAQ, T&C	2,274
	1 X .133 ERW A53 GR A, SURPLUS, BARE/BLK LAQ, BXB	1,009
	1 X .133 SEAMLESS A106 GR B, FBE, M&M DOM, MTRS	8,302

INTERNATIONAL
PIPE



BISON
PIPE

BIGFOOT
PIPE & PILING

BIG BEAR
PIPE & STEEL

RED FOX
PIPE & FENCE

THE BIG LIST

OCTOBER 2026

800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
1	1 X .133 SCH 40 A53 GR E/F, BLK LAQ, IMP, MIXED ENDS	6,573
3/4	3/4 X .154 ERW A53 GR A/F, GALVANIZED, M&M DOM , BXB, MTRS	2,583
	3/4 X .113 ERW A53 GR B, BLK LAQ, IMP, T&C	94,542
	3/4 X .113 ERW A53 GR A, BLK LAQ, IMP, BXB/SQXSQ, MTRS	1,113
	3/4 X .113 ERW A53 GR A, GALVANIZED, IMP, T&C, MTRS	2,016
	3/4 X .113 ERW A53 GR A, SURPLUS, BARE/BLK LAQ, T&C	1,365
	3/4 X .113 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	82,701
	3/4 X .065 ERW, SURPLUS, BARE, SQXSQ	18,285
1/2	1/2 X .147 ERW GR A, BARE/BLK LAQ, IMP, BXB, MTRS	2,520
	1/2 X .147 ERW A53 GR B/F, GALVANIZED, DOM , BXB, MTRS	3,045
	1/2 X .147 SEAMLESS A106 GR B, NEW, BARE, SQXSQ	2,552
	1/2 X .109 X 21' ERW A53 GR A, BLK LAQ, SQXSQ	1,218
	1/2 X .109 ERW, SURPLUS, GALVANIZED, T&C	1,488
	1/2 X .109 ERW GR A, BARE/BLK LAQ, IMP, THXTH, MTRS	6,000
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, T&C, MTRS	4,179
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, SQXSQ, MTRS	5,439
	1/2 X .109 ERW A53 GR A, GALVANIZED, M&M DOM , BXB, MTRS	4,641
	1/2 X .109 ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS	11,400
	1/2 X .109 ERW A53 GR F, FBE, DOM , TXT, MTRS	1,071
	1/2 X .109 SCH 40 SURPLUS, BARE/BLK LAQ	3,759

Don't see what you're looking for? *Call Today!*
800-716-7473

INTERNATIONAL PIPE